Bright Creation Taiwan
Professional supplier since 1991

■ **Office:** 2F., No.9,Ln.123,Sec.2, Xinsheng N. Rd., Zhongshan Dist., Taipei Taiwan (R.O.C.) 104

■ **E-mail:** villa@bright.com.tw, brightcr@ms7.hinet.net

■ **Tel:** 886-2-2571-7900 ■ **Fax**: 886-2-2543-3236

STAINLESS STEEL CHAIN



INDEX

STAINLESS STEEL CHAIN p1
STEEL CHAIN p9
BRASS CHAIN p29

Size Guide

SHORT LINK (ELECTRIC WELDED CHAIN)

2.0 mm

2.5 mm

LONG LINK (ELECTRIC WELDED CHAIN)

3.0 mm

FLAT LINK (ARGON WELDED CHAIN)

2.0 mm

2.5 mm

3.0 mm

LONG LINK (ARGON WELDED CHAIN)

3.0 mm

3.5 mm

4.0 mm

Chains on this page are actual size (1:1)

Size Guide

SHORT OVAL LINK (ARGON WELDED CHAIN)

3.0 mm

Chains on this page are actual size (1:1)

OVAL LINK (ARGON WELDED CHAIN)

3.0 mm

4.0 mm

Chains on this page are actual size (1:1)



CHOKE CHAIN

Stainless Steel Electric Welded Choke Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)
SE60220	2.0
SE60225	2.5
SE60230	3.0

CHOKE CHAIN

Stainless Steel Argon Welded Choke Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
S65330	3.0	oval link
S65340	4.0	oval link
S65530	3.0	short oval link

Stainless Steel Argon Welded Choke Chain With Name Plate

Item No.	Wire Guage (mm)	Link Type
S65630	3.0	short oval link

CHAIN LEAD

Stainless Steel Argon Welded Chain Lead With Stainless Steel Snap &T/Handle

Item No.	Wire Guage (mm)
S63430	3.0
S63435	3.5
S63440	4.0



CHAIN COLLAR



Stainless Steel Argon Welded Double Row Chain Collar

Item No.	Wire Guage (mm)	Link Type
S90120	2.0	flat link
S90125	2.5	flat link
S90130	3.0	flat link

Stainless Steel Argon Welded Chain Collar

Item No.	Wire Guage (mm)	Link Type
S90220	2.0	flat link
S90225	2.5	flat link
S90230	3.0	flat link

SPIKED TRAINING COLLAR

Each prong link has nice rounded end and are well adjusted, so they do not come apart easily and fall off the dogs while in use.

Stainless Steel Spiked Training Collar With O-Ring

Item No.	Wire Guage (mm)	Link Type
S30223	2.3	prong link
S30230	3.0	prong link
S30232	3.2	prong link
S30238	3.8	prong link

STEEL
CHAIN

LONG LINK

2.0 mm

2.5 mm

3.0 mm

3.5 mm

4.0 mm

4.8 mm

Chains on this page are actual size (1:1)

SHORT LINK

1.35 mm

1.6 mm

2.0 mm

2.5 mm

3.0 mm

3.5 mm

4.0 mm

4.8 mm

Chains on this page are actual size (1:1)

FLAT LINK

1.6 mm

2.0 mm

2.5 mm

3.0 mm

3.5 mm

4.0 mm

Chains on this page are actual size (1:1)

Size Guide

STRAIGHT LINK

3.0 mm



3.8 mm

4.5 mm

OVAL LINK

3.0 mm

4.0 mm

DOUBLE LOOP

3.0 mm

Chains on this page are actual size (1:1)

CHOKE CHAIN

Choke Chian With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
60116	1.6	flat link
60120	2.0	flat link
60125	2.5	flat link
60130	3.0	flat link
60135	3.5	flat link
602135	1.35	short link
60216	1.6	short link
60220	2.0	short link
60225	2.5	short link
60230	3.0	short link
60235	3.5	short link
60240	4.0	short link
60248	4.8	short link
60320	2.0	long link
60325	2.5	long link
60330	3.0	long link
60335	3.5	long link
60340	4.0	long link
60348	4.8	long link

Choke Chain With Swivel

Item No.	Wire Guage (mm)	Link Type
64130	3.0	short link

CHOKE CHAIN WITH NAME PLATE

Choke Chain With Name Plate

Item No.	Wire Guage (mm)	Link Type
61120	2.0	flat link
61125	2.5	flat link
61130	3.0	flat link
61135	3.5	flat link
61220	2.0	short link
61225	2.5	short link
61230	3.0	short link
61235	3.5	short link
61320	2.0	long link
61325	2.5	long link
61330	3.0	long link
61335	3.5	long link

CHOKE CHAIN



Choke Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
65330	3.0	oval link
65340	4.0	oval link
60530	3.0	straight link
60538	3.8	straight link

Choke Chain With Swivel

Item No.	Wire Guage (mm)	Link Type
65140	4.0	oval link

CHAIN LEAD WITH SWIVEL

Chain Lead With Swivel & Malleable Snap

Item No.	Wire Guage (mm)	Link Type
64430	3.0	flat link
64540	4.0	long link

CHAIN LEAD

Chain Lead With Malleable Snap

Item No.	Wire Guage (mm)	Link Type
621135	1.35	short link
62116	1.6	short link
62120	2.0	short link
62125	2.5	short link
62130	3.0	short link
62135	3.5	short link
62140	4.0	short link
62148	4.8	short link
62320	2.0	long link
62325	2.5	long link
62330	3.0	long link
62335	3.5	long link
62340	4.0	long link
62348	4.8	long link
62516	1.6	flat link
62520	2.0	flat link
62525	2.5	flat link
62530	3.0	flat link
62535	3.5	flat link
62540	4.0	flat link

Flat Snap

Malleable Snap

Chain Lead With Flat Snap

Item No.	Wire Guage (mm)	Link Type
62216	1.6	short link
62220	2.0	short link
62225	2.5	short link
62230	3.0	short link
62235	3.5	short link
62240	4.0	short link
62420	2.0	long link
62425	2.5	long link
62430	3.0	long link
62435	3.5	long link
62440	4.0	long link

CHAIN LEAD

Chain Lead With Malleable Snap & T/Handle

Item No.	Wire Guage (mm)	Link Type
63116	1.6	short link
63120	2.0	short link
63125	2.5	short link
63130	3.0	short link
63135	3.5	short link
63140	4.0	short link
63420	2.0	long link
63425	2.5	long link
63430	3.0	long link
63435	3.5	long link
63440	4.0	long link

Chain Lead With Malleable Snap T/Handle, And Spring

Item No.	Wire Guage (mm)	Link Type
63320	2.0	short link
63325	2.5	short link
63330	3.0	short link
63620	2.0	long link
63625	2.5	long link
63630	3.0	long link

Chain Lead With Flat Snap & T/Handle

Item No.	Wire Guage (mm)	Link Type
63216	1.6	short link
63220	2.0	short link
63225	2.5	short link
63230	3.0	short link
63235	3.5	short link
63240	4.0	short link
63520	2.0	long link
63525	2.5	long link
63530	3.0	long link
63535	3.5	long link
63540	4.0	long link

CHAIN COLLAR WITH KEY RING

Triple Row Chain Collar With Key Ring

Item No.	Wire Guage (mm)	Link Type
66120	2.0	flat link
66125	2.5	flat link
66130	3.0	flat link

Double Row Chain Collar With Key Ring

Item No.	Wire Guage (mm)	Link Type
66216	1.6	flat link
66220	2.0	flat link
66225	2.5	flat link
66230	3.0	flat link

CHAIN COLLAR WITH O-RING

Double Row Chain Collar With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
68116	1.6	flat link
68120	2.0	flat link
68125	2.5	flat link
68130	3.0	flat link

Triple Row Chain Collar With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
68220	2.0	flat link
68225	2.5	flat link
68230	3.0	flat link

CHAIN COLLAR WITH BUCKLE

Double Row Chain Collar With Buckle & Leather Belt

Item No.	Wire Guage (mm)	Link Type
67120	2.0	flat link
67125	2.5	flat link

Double Row Chain Collar With Buckle

Item No.	Wire Guage (mm)	Link Type
67320	2.0	flat link
67325	2.5	flat link

Triple Row Chain Collar With Buckle & Leather Belt

Item No.	Wire Guage (mm)	Link Type
67220	2.0	flat link
67225	2.5	flat link

Triple Row Chain Collar With Buckle

Item No.	Wire Guage (mm)	Link Type
67420	2.0	flat link
67425	2.5	flat link



COUPLES & BENCHING CHAIN

Couples

Item No.	Wire Guage (mm)	Link Type
71116	1.6	short link
71120	2.0	short link
71125	2.5	short link
71130	3.0	short link

Benching Chain

Item No.	Wire Guage (mm)	Link Type
72116	1.6	short link
72120	2.0	short link
72125	2.5	short link
72130	3.0	short link

CHAIN COLLAR & CHAIN ASSEMBLY

Chain Collar

Item No.	Wire Guage (mm)	Link Type
731135	1.35	short link
73116	1.6	short link

Chain Assembly With O-Rings

Item No.	Wire Guage (mm)	Link Type
74116	1.6	short link
74120	2.0	short link
74125	2.5	short link
74130	3.0	short link
74220	2.0	long link
74225	2.5	long link
74230	3.0	long link



Chain Assembly With D-Rings

Item No.	Wire Guage (mm)	Link Type
74316	1.6	short link
74320	2.0	short link
74325	2.5	short link
74330	3.0	short link
74420	2.0	long link
74425	2.5	long link
74430	3.0	long link

SPIKED TRAINING COLLAR

Each prong link has nice rounded end and are well adjusted, so they do not come apart easily and fall off the dogs while in use.

Spiked Training Collar With Swivel

Item No.	Wire Guage (mm)	Link Type
30123	2.3	prong link
30130	3.0	prong link
30132	3.2	prong link
30138	3.8	prong link

Spiked Training Collar With Swivel & T/Handle

Item No.	Wire Guage (mm)	Link Type
30330	3.0	prong link
30332	3.2	prong link
30338	3.8	prong link

YARD TIE OUT CHAIN

Tie Out Chain With Malleable Snap & T/Handle

Item No.	Wire Guage (mm)	Link Type
69130	3.0	straight link
69138	3.8	straight link
69145	4.5	straight link

Tie Out Chain With 2 Malleable Snaps

Item No.	Wire Guage (mm)	Link Type
69230	3.0	straight link
69238	3.8	straight link
69245	4.5	straight link

YARD KENNEL CHAIN

696

Kennel Chain With Swivel & 2 Hooks

Item No.	Wire Guage (mm)	Link Type
69620	2.0	twisted link
69625	2.5	twisted link
69630	3.0	twisted link

HORSE CHAIN

Double Row Horse Chain With Square Loops On Both Ends

Item No.	Wire Guage (mm)	Link Type	Length Available
70130	3.0	short link	4.5"
70230	3.0	flat link	4.5"

Double Row Horse Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type	Length Available
70330	3.0	short link	4.5"
70430	3.0	flat link	4.5"

Single Horse Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type	Length Available
70530	3.0	short link	4.5"
70540	4.0	short link	4.5"
70630	3.0	long link	4.5"
70640	4.0	long link	4.5"

Double Loop Horse Chain With D-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type	Length Available
70730	3.0	double loop	3.5" 4.5"

Double Loop Horse Chain

Item No.	Wire Guage (mm)	Link Type	Length Available
70830	3.0	double loop	9.5"


BRASS
CHAIN

SHORT LINK

2.0 mm

2.5 mm

3.0 mm

3.5 mm

4.0 mm

LONG LINK

4.0 mm

Chains on this page are actual size (1:1)

Size Guide

OVAL LINK

3.5 mm

4.0 mm

Chains on this page are actual size (1:1)

CHOKE CHAIN

Solid Brass Choke Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
B60220	2.0	short link
B60225	2.5	short link
B60230	3.0	short link
B60240	4.0	short link
B65335	3.5	oval link
B65340	4.0	oval link

Solid Brass Chain Lead With Brass Sanp & Swivel

Item No.	Wire Guage (mm)	Link Type
B64540	4.0	long link

CHAIN ASSEMBLY



Solid Brass Chain Assembly With O-Rings

Item No.	Wire Guage (mm)	Link Type
B74120	2.0	short link
B74125	2.5	short link
B74130	3.0	short link

Solid Brass Chain Assembly With D-Rings

Item No.	Wire Guage (mm)	Link Type
B74325	2.5	short link
B74330	3.0	short link

SNAKE CHAIN

Brass Snake Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
B60720	2.0	hexagon link
B60725	2.5	hexagon link

SHOW CHAIN

Brass Show Chain With O-Rings On Both Ends

Item No.	Wire Guage (mm)	Link Type
B606135	1.35	jeweler link
B60618	1.8	jeweler link
B60620	2.0	jeweler link
B60628	2.8	jeweler link