

RATCHET BUCKLE Detachable Series

Ideal for trucks and long-way deliveries.
Meet environment protection and energy saving trendy.
Prevent unauthority off-load - the ratchet is not able to be loosened without handle.
Space saving and weight reduction.
Freely matching handle and ratchet-body as packs.
Taiwan Excellence rewarded.



2" Detachable Ratchet Buckle

R518901

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Removable handle type
Ergonomic wide plastic grip

A:54mm B:98mm C:57mm D:211mm



2" Stainless Detachable Ratchet Buckle

R518902

Size: 2"/50mm
B.S: 2500kg
SUS 304
Removable handle type
Ergonomic wide plastic grip

A:54mm B:98mm C:57mm D:211mm



1.5" Detachable Ratchet Buckle

R438901

Size: 1.5"/35mm
B.S: 3000kg
Finish: Zinc & Electric Black
Removable handle type
Ergonomic wide plastic grip

A:42mm B:80mm C:59mm D:190mm



1.5" Stainless Detachable Ratchet Buckle

R438902

Size: 1.5"/35mm
B.S: 1500kg
SUS 304
Removable handle type
Ergonomic wide plastic grip

A:42mm B:80mm C:44mm D:175mm




1.5" Light duty Detachable Ratchet Buckle

R388901

Size: 1.5"/35mm
B.S: 1800kg
Finish: Zinc & Electric Black
Removable handle type
Ergonomic & anti-slip wide plastic grip

A:42mm B:80mm C:42mm D:172mm



RATCHET BUCKLE Ergonomic Rubber Grip Series

Heavy duty load securing preferred.
High visibility with colorful rubber handle.
Side rubber caps for better protection.



2" Ergonomic Rubber Handle Ratchet Buckle

R510417

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Rubber grip

A:54mm B:107mm C:60mm D:223mm



2" Ergonomic Middle Handle Ratchet Buckle

R510313

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:54mm B:107mm C:54mm D:205mm



1.5" Ergonomic Light Duty Ratchet Buckle

R380308

Size: 1.5"/35mm
B.S: 1800kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:42mm B:80mm C:40mm D:150mm



1" Ergonomic Rubber Handle Ratchet Buckle

R280102

Size: 1"/25mm
B.S: 1500kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:30mm B:65mm C:41mm D:139mm




1" Ergonomic Light Duty Ratchet Buckle

R240109

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc & Electric Black
Rubber grip

A:27mm B:43mm C:41mm D:125mm



RATCHET BUCKLE

Ergonomic Rubber Grip Series

Heavy duty load securing preferred.
High visibility with colorful rubber handle.
Side rubber caps for better protection.

RATCHET BUCKLE

A.B.S & Extendable Series

Ideal for commercial use.
Heavy duty load securing preferred.
Made for diagonal lashing.
Powerful working ability.
Telescopic handle for better pre-tension.
Built-in safety device for slow down the release during off-load.
Ergonomic wide plastic grip for ease of operation.
Taiwan Excellence rewarded.



2" Ergonomic Rubber Handle Ratchet Buckle
R510417

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Rubber grip

A:54mm B:107mm C:60mm D:223mm



2" Ergonomic Middle Handle Ratchet Buckle
R510313

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:54mm B:107mm C:54mm D:205mm



1.5" Ergonomic Light Duty Ratchet Buckle
R380308

Size: 1.5"/35mm
B.S: 1800kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:42mm B:80mm C:40mm D:150mm



1" Ergonomic Rubber Handle Ratchet Buckle
R280102

Size: 1"/25mm
B.S: 1500kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip


A:30mm B:65mm C:41mm D:139mm



1" Ergonomic Light Duty Ratchet Buckle
R240109

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc & Electric Black
Rubber grip

A:27mm B:43mm C:41mm D:125mm



3" A.B.S Ratchet Buckle
R760703

Size: 3"/75mm
B.S: 10000kg
Finish: Yellow Zinc & Electric Black
Long lever type
Steel grip
A.B.S system

A:77mm B:112mm C:80mm D:320mm



2" A.B.S Ratchet Buckle
R510701

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Ergonomic wide plastic grip
A.B.S system

A:52mm B:98mm C:67mm D:252mm



2" Extendable A.B.S Ratchet Buckle
R510602

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Aluminum grip
A.B.S system



A:52mm B:98mm C:67mm D:274/332mm



2" Extendable Ratchet Buckle
R510601

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Steel grip

A:54mm B:98mm C:56mm D:242/300mm



RATCHET BUCKLE A.B.S & Extendable Series

Ideal for commercial use.
Heavy duty load securing preferred.
Made for diagonal lashing.
Powerful working ability.
Telescopic handle for better pre-tension.
Built-in safety device for slow down the release during off-load.
Ergonomic wide plastic grip for ease of operation.
Taiwan Excellence rewarded.



3" A.B.S Ratchet Buckle

R760703

Size: 3"/75mm
B.S: 10000kg
Finish: Yellow Zinc & Electric Black
Long lever type
Steel grip
A.B.S system

A:77mm B:112mm C:80mm D:320mm



2" A.B.S Ratchet Buckle

R510701

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Ergonomic wide plastic grip
A.B.S system

A:52mm B:98mm C:67mm D:252mm



2" Extendable A.B.S Ratchet Buckle

R510602

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Aluminum grip
A.B.S system

A:52mm B:98mm C:67mm D:274/332mm





2" Extendable Ratchet Buckle

R510601

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Steel grip

A:54mm B:98mm C:56mm D:242/300mm



Ratchet Buckle



1.5" Light Duty Ratchet Buckle

R380301

Size: 1.5"/35mm
B.S: 1800kg
Finish: Yellow Zinc
Middle handle type
Steel grip

A:42mm B:66mm C:40mm D:133mm



1" Middle Handle Ratchet Buckle

R280301

Size: 1"/25mm
B.S: 1500kg
Finish: Yellow Zinc
Middle handle type
Steel grip

A:31mm B:57mm C:37mm D:131mm



1" Once Forming Frame Ratchet Buckle

R280105

Size: 1"/25mm
B.S: 1500kg
Finish: Yellow Zinc
Handle and side panel once forming type

A:30mm B:59mm C:41mm D:118mm



1" Light Duty Ratchet Buckle

R240103/ R240104

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc /
Yellow Zinc & Electric Black

A:27mm B:38mm C:41mm D:110mm



3/4" Mini Ratchet Buckle

R180101

Size: 3/4"/19mm
B.S: 300kg
Finish: Zinc & Electric Black

A:20mm B:29mm C:30mm D:92mm





1/2" Mini Ratchet Buckle

R130101

Size: 1/2"/13mm
B.S: 100kg
Finish: Zinc & Electric Black

A:15mm B:24mm C:30mm D:83mm



RATCHET BUCKLE

Ratchet Tie Down Series



2" Detachable Ratchet Tie Down T518901

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Removable Handle
Ergonomic wide plastic grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" A.B.S Ratchet Tie Down T510701

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Built-in A.B.S system
Ergonomic wide plastic grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Extendable Handle Ratchet Tie Down T510601

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Standard Long Handle Ratchet Tie Down T510402

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Long handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Standard Long Handle Ratchet Tie Down T510403

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Long handle type
Plastic grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Middle Handle Ratchet Tie Down T510302

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Middle handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Straight Handle Ratchet Tie Down T510201

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Straight handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Light Duty Ratchet Tie Down T510303

Size: 2"/50mm
B.S: 2000kg
Finish: Yellow Zinc
Short handle type
Steel grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends

Ratchet Buckle



1.5" Long Handle Ratchet Tie Down T430301

Size: 1.5"/35mm
B.S: 3000kg
Finish: Yellow Zinc
Long handle type
Aluminum grip
Includes of 4.5M weather-resistant
Polyester webbing
Double J hook ends



1.5" Straight Handle Ratchet Tie Down T430203

Size: 1.5"/35mm
B.S: 3000kg
Finish: Yellow Zinc
Straight Handle
Aluminum grip
Includes of 4.5M weather-resistant
Polyester webbing
Double J hook ends



1.5" Light Duty Ratchet Tie Down T380303

Size: 1.5"/35mm
B.S: 1800kg
Finish: Yellow Zinc
Middle handle
Steel grip
Includes of 4.5M weather-resistant
Polyester webbing
Double J hook ends



1" Middle Handle Ratchet Tie Down T280305

Size: 1"/25mm
B.S: 1500kg
Finish: Yellow Zinc
Middle handle type
Steel grip
Includes of 4M weather-resistant
Polyester webbing
Double J hook ends



1" Light Duty Ratchet Tie Down T240101

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc
Includes of 4M weather-resistant
Polyester webbing
Double J hook ends



3/4" Mini Ratchet Tie Down T180109

Size: 3/4"/19mm
B.S: 300kg
Finish: Zinc & Electric Black
Includes of 2M weather-resistant
Polyester webbing
PVC coating S hook ends



1/2" Mini Ratchet Tie Down T130105


Size: 1/2"/13mm
B.S: 100kg
Finish: Zinc & Electric Black
Includes of 2M weather-resistant
Polyester webbing
PVC coating S hook ends

Snap Hook & Carabiner Certificated Carabiner


Snap Hook & Carabiner Aluminum Carabiner




C Carabiner
CBR-S-001
Alloy Steel
Screw Lock
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




D1 Carabiner
CBRAD1-F-002
Forged Alloy Steel
Twist Steel Lock
Snag-Free Design
Min. Breaking Strength:
40kN/8900lbs
ANSI Certificated




D Carabiner
C2102 series
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




D Carabiner
C2101 series
Forged Aluminum Alloy
Screw Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




D Carabiner
CBRAD-ALF-002
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




D1 Carabiner
CBRAD1-ALF-001
Forged Aluminum Alloy
Twist Lock
Snag-Free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




D1 Carabiner
C3102 series
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




D1 Carabiner
C3101 series
Forged Aluminum Alloy
Screw Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




D1 Carabiner
CBRAD1-ALF-004
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




Twist Locking Snap Hook
RBH-AL-M-001
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




D1 Carabiner
C3102 series
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




WAIST Carabiner
C4102 series
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




Self Locking Snap Hook
RBH-M-AL-003
Forged Aluminum Alloy
Anodized
Min. Breaking Strength:
35kN/7500lbs
EN362 Certificated



Quick Connector
C2103 series
Aluminum Alloy
Quick Lock
Snag-free Design
Anodized
Min. Breaking Strength:
9kN/2000lbs



Carabiner
C2102 series
Aluminum Alloy
With/Without Captive Pin
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
9kN/2000lbs




Snap Hook & Carabiner Steel Carabiner


Snap Hook & Carabiner




**WAIST Carabiner
C4301 series**
Stainless Steel(SUS 304)
Screw Lock
Min. Breaking Strength:
10kN/2500lbs




**WAIST Carabiner
C4203 series**
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs





**C Carabiner
C1203 series**
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs




**C Carabiner
C1303 series**
Stainless Steel(SUS 304)
One-way Lock
Min. Breaking Strength:
10kN/2500lbs




**D Carabiner
C2203 series**
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs




**D Carabiner
C2303 series**
Stainless Steel(SUS 304)
One-way Lock
Min. Breaking Strength:
10kN/2500lbs




**D Carabiner
C2202 series**
Forged Alloy Steel
Twist Lock
Min. Breaking Strength:
23kN/5000lbs




**D1 Carabiner
C3203 series**
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs



**D1 Carabiner
C3202 series**
Alloy Steel
Twist Lock
Min. Breaking Strength:
23kN/5000lbs




**WAIST Carabiner
C4201 series**
Alloy Steel
Screw Lock
Min. Breaking Strength:
23kN/5000lbs




DESIGN CONCEPT

SHAPE



OVAL
C Carabiner /
Design for lower loads.



Regular D
D Carabiner / Designed to
orient the load in a
predetermined direction on
the connector's body.



Asymmetrical D
V or D1 Carabiner / V Shape is
offset or curved to one side allows
a climber to use the Munter Hitch
for belaying without the rope
getting stuck or jammed.




WAIST
Waist Carabiner is to design to
secure rope at bottom. To make
sure the loading force is in same
horizontal.




SPECIAL
Captive Eye Carabiner / Connectors
with complex shapes for a
particular purpose; to be connected
directly to a special anchor type.


GATE



SCREW-LOCK



ONE-WAY LOCK




TWIST-LOCK

NOSE




Snag Free



Regular

CAPTIVE PIN




Snap Hook & Carabiner Snap Hook


Snap Hook & Carabiner Swivel Connector




**Self Locking Rebar Hook
A0102 series**
Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Aluminum Rebar Hook
A0101 series**
Forged Aluminum Alloy
Min. Breaking Strength:
23kN/5000lbs




**Swivel Connector - Large
I0201 series**
Forged Alloy Steel
Yellow Zinc Plated / Chrome Plated
Min. Breaking Strength: 40kN/8900lbs




**Swivel Connector - Medium
I0202 series**
Forged Alloy Steel
Yellow Zinc Plated / Chrome Plated
Min. Breaking Strength: 23kN/5000lbs




**Self Locking Rebar Hook
A0102 series**
Forged Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Self Locking Snap Hook
A0202 series**
Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Aluminum Swivel Connector
I0102 series**
Forged Aluminum Alloy
Anodized
Min. Breaking Strength: 9kN/2000lbs




**Swivel Combination
I0202 series**
Alloy Steel
Chrome Plated
Min. Breaking Strength: 23kN/5000lbs




**Self Locking Snap Hook
A0302 series**
Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Screw Locking Snap Hook
C5101 series**
Forged Aluminum Alloy
Screw Lock
Snag-free Design
Anodized Titanium
Min. Breaking Strength:
23kN/5000lbs



**Swivel Connector
I0201 series**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength: 9kN/2000lbs



**Pulley
I0201 series**
Aluminum Alloy
Anodized
Webbing width : 12mm
Min. Breaking Strength: 600kg/1300lbs




Stamping Parts

Made by Precision Punching Machines

Stamping Parts




Flat Hook-01
F01 series



Material: Steel
Size: 1"(25mm)/2"(46mm)




Flat Hook-02
F01 series



Material: Steel
Size: 1.5"(38mm)/2"(51mm)




Buckle-04
F44 series



Material: Steel
Size: 42mm/45mm




Buckle-05
F44 series



Material: Steel
Size: 49mm




Buckle-06
F44 series



Material: Steel
Size: 45mm
One pair for harness




Harness Safety Buckle
K0601 series



Min. Breaking Strength: 8kN/1750lbs
Aluminum Alloy
Safety Locking System
Webbing: 1 3/4" (45mm)




Flat/Twist Snap Hook
F04 series



Material: Steel
Size: 1"(25mm)/ 1.5"(38mm)/ 2"(51mm)




Flat Snap Hook
F02 series



Material: Steel
Size: 1"(25mm)/ 1.5"(38mm)/ 2"(51mm)




Harness Safety Buckle
K0602 series



Min. Breaking Strength: 12kN/2500lbs
Alloy Steel
Safety Locking System
Webbing: 1 3/4" (45mm)




2" End Fitting
F010301



B.S: 1500kg
Finish: Yellow Zinc Plated




Delta Flat Hook
F44 series



Material: Steel/ SUS304
Size: 2"(51mm)




Buckle-01
F44 series



Material: Steel
Size: 45mm/54mm




Buckle-02
F44 series



Material: Steel
Size: 45mm/47mm/49mm/52mm



Buckle-03
F44 series




Material: Steel
Size: 38mm/45mm/50mm/54mm

Cam Buckle

Best partner to use with webbing : Cam buckle tie down



1" Steel Cam Buckle
K010104~08
Size: 1"/25mm
B.S: 500kg
Finish: Electric black plated
Optional Color Button
Scratch proof pad



WIRE FORMING PARTS S Hook




S Hook
S01 Series

Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ PE Coating/ Polished
Size: 25mm/ 27mm/ 30mm




S Hook
S06 Series



Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished/
PE Coating
Size: 12mm/ 14mm/ 18mm/ 23mm/ 34.5mm




S Hook
S03 Series



Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished/
PE Coating
Size: 8mm/ 10mm/ 16mm/ 18mm/ 22mm/
23mm/ 25mm



S Hook with Spring
S01 Series



Material: Steel
Plated/ Electric Black/ PE Coating
Size: 25mm/ 27mm/ 31mm

WIRE FORMING PARTS

Ring


Practised molding team & precision punching machine
Your best partner for OEM/ODM project

WIRE FORMING PARTS

Buckle




D Ring
D01 Series



Material: Steel / Stainless Steel
Size: 25mm/38mm/40mm/51mm




D Ring with tube
D01 Series



Material: Steel / Stainless Steel
Size: 25mm/38mm/40mm/51mm




Wire Buckle
K05 Series



Material: Steel
Size: 13mm/16mm/19mm/27mm/
35mm




Lap Link
K02 Series



Material: Steel
Size: 19mm/25mm/31mm/38mm/
41mm/63mm




Waisted Ring
H08 Series



Material: Steel / Stainless Steel
Size: 1. $\phi 6.3 \times 28(A) \times 61\text{mm}$
2. $\phi 6.35 \times 29(A) \times 58.5\text{mm}$




O Ring
O01 Series



Material: Steel / Stainless Steel
Size: 15mm/20mm/25mm/30mm/
38mm/40mm/51mm/65mm/76mm




Eye Buckle/One Way Buckle
K04 Series



Material: Steel
Size: 45mm/55mm



Rave Hook
K04 Series



Material: Steel
Size: 1. $\phi 9.5 \times 51(A) \times 42\text{mm}$
2. $\phi 12 \times 51(A) \times 60\text{mm}$




Triangle Ring
D05 Series



Material: Steel / Stainless Steel
Size: 26mm/53mm/70mm




Oval Ring
O07 Series



Material: Steel / Stainless Steel
Size: 28mm/51mm/55mm/60mm/
107mm




Adjuster Buckle
K03 Series



Material: SUS 304
Size: 25mm/40mm




Buckle with Anti-slip Adjuster
K03 Series



Material: Steel/SUS 304
Size: 25mm/41mm/51mm




Rectangle Ring
D12 Series



Material: Steel / Stainless Steel
Size: 13mm/19mm/25mm/38mm/
51mm/70mm



Buckle with Dual Anti-slip Adjuster
K03 Series



Material: SUS 304
Size: 31mm/41mm/51mm

WIRE FORMING PARTS Hook


Wire Forming Parts

Bungee Hook-01
H03 Series




Material: Steel/SUS304
Size: 6.35xø1.8mmx51(L)mm
7.93xø2.8mmx71(L)mm
9.52xø3.0mmx66(L)mm

Single Stud Fitting
J16 Series




Material: Steel/SUS304
Size: ø6.0mmx60(L)mm
ø9.5mmx94(L)mm

Wire Hook 6mm / 8mm
With Eyelet / Without Eyelet
H08 Series




Material: Steel/SUS304
Size: ø6mmxL62mm / ø8mmxL80mm

Spring Hook
S02 Series




Material: Steel

Bungee Hook-02
H03 Series




Material: Steel/SUS304

Wire Hook
With Eyelet / Without Eyelet
H08 Series




Material: Steel/SUS304
Size: ø6mmxL62mm
ø8mmxL80mm

Spring Hook
With Eyelet / Without Eyelet
S02 Series




Material: Steel

Snap Hook
S11 Series




Material: Steel/ SUS304

Quick Link
H07 Series



Material: Steel/SUS304
Size: ø3.5x36.5(L)mm ø8x76(L)mm
ø4x40(L)mm ø9x82(L)mm
ø5x48(L)mm ø10x90(L)mm
ø6x58(L)mm ø12x107(L)mm
ø7x65(L)mm ø14x125(L)mm


Wire Hook
With Eyelet / Without Eyelet
K08 Series



Material: Aluminum Alloy

Snap Hook with Eyelet/Without Eyelet

H08 Series



Material: Steel/SUS304
Size: ø4x40(L)mm ø10x100(L)mm
ø5x50(L)mm ø11x120(L)mm
ø6x60(L)mm ø12x140(L)mm
ø7x70(L)mm ø13x160(L)mm
ø8x80(L)mm ø14x180(L)mm
ø9x90(L)mm


WIRE FORMING PARTS

J Hook

Wire Forming Parts




Hook and Keeper
J07 Series



Material: Steel
Plated/ Electric Black
Size: 38mm/ 51mm



Finger Profile Hook
J06 Series




Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished
Size: 25mm




Double J hook
J01 Series

Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished
Size: 15mm/ 25mm/ 27mm/ 38mm/ 51mm/ 76mm




Welding Tube Single Hook
J04 Series



Material: Steel
Plated/ Electric Black
Size: 25mm/ 38mm/ 51mm




Welding Tube Profile Hook
J09 Series



Material: Steel
Plated/ Electric Black
Size: 51mm/ 55mm




Eye Hook
J11 Series



Material: Steel
Plated/ Electric Black
Size: 38mm/ 51mm



J Hook
J04 Series



Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ Polished
Size: 38mm/ 47.5mm/ 51mm



OEM Products


Customization available
Taiwan-made good quality

Fitting/ Forging

Good partners for transportation




Bolt/ Stud



Material: Steel
Zinc Plated




Bolt/ Eyelet Screw



Material: Steel / SUS304
Zinc Plated / Polished




**Double Stud Fitting
M071137**



B.S: 2300kg
Finish: Zinc Plated




**Double Stud Fitting with O ring
M071138**



B.S: 2300kg
Finish: Zinc Plated




Bolt/ Eyelet Stud



Material: Steel
Zinc Plated




Bolt/ Eyelet Stud



Material: Steel
Zinc Plated




**Single Stud Fitting
M071105**



B.S: 1500kg
Finish: Body - Anodized
Ring - Zinc Plated




**Forged Eyelet Stud
B01 Series**



Material: Steel
Zinc/ Yellow Zinc Plated




Bolt/ Stud Hook



Material: Steel
Zinc Plated




Lock Pin



Material: Steel
Zinc Plated




**Swivel Clip Hook
I0201 Series**



Material: Aluminum Alloy




**Forged Snap Hook
E Series**



Material: Steel
Zinc/ Yellow Zinc Plated




Stud Hook With Spring



Material: Steel
Zinc Plated



Bolt/ Eyelet Stud



Material: Steel
Zinc Plated