



 利 菴 有 限 公 司
Bright Creation Ltd. Taiwan



Company info 会社概要

■ Name 会社名 : BRIGHT CREATION LTD.,
利崧有限公司

■ Tax No: 86009183

■ Est 設立 : 1991

■ Capital 資本金: USD 330,000.

■ Add 住所 : 2F. No.9, Lane 123, Shin-sheng N. Rd., Sec. 2, Taipei, 104, Taiwan

■ Business 事業内容 :

- Metal parts Mfg. 金属加工品製造販売
【Stamping, Forging, Die casting, Wire forming, Plastic injection】
【プレス、鍛造、ダイカスト、線材成型、樹脂成型】
- Metal material trading 金属材料販売
【Steel and Stainless steel, CD bar, Wire, Grinding bar, stripe, sheet..etc】
【ステンレス材料、磨棒鋼、鋼線、研磨材、ステンレス鋼帯、ステンレス鋼板等】
- Sewing product Mfg 縫製品加工
【Pet items, Harness, Lead, Collar..etc】
【犬具、ハーネス、リード、首輪、雑貨等】

Greeting ご挨拶

We always prioritize price optimization while considering the rationalization of management.

For ordered products, we make every effort to conduct thorough inspections regarding quality, dimensions, shape, and finish, strictly adhere to delivery deadlines, and enhance the trust of our customers and clients, thereby striving to build an absolutely solid foundation.

常に経営の合理化を考慮し価格の適正化を第一に考えています。受注品に対しては、品質・寸法・形状・仕上げ等に十分な検査、納期の厳守及び需要先、得意先の信用を高め、絶対強固なる基礎を作るべく努力しております。



Metal parts Mfg. 金屬加工品製造

Aluminum forging アルミ鍛造加工

Material 加工材質:	Al 6000,7000 Series
Equipment 機械設備:	250T, 350T, 400T, 500T, 600T, 800T, 1000T

Products 鍛造品

Machinery, bicycle parts
機械、自転車部品等




Stamping プレス加工

Material 加工材質:	Al 6000,7000 Series, Steel, Stainless
Equipment 機械設備:	60T, 80T, 110T, 150T, 160T, 200T

Products プレス品

Safety equip, Buckle , Machinery parts
安全装備金具、機械部品等



Metal parts Mfg. 金屬加工品製造

Die Casting ダイカスト加工

Material 加工材質:	ZDC2, ZDC3, ZDC5, ZN27, ADC6, ADC12, A380
Range 加工範囲:	1.50~350g
Equipment 機械設備:	Zinc die cast 60~125T Al die cast 250T 350T

Products カスト品

Machinery, Auto parts
自動車、機械部品等




Plastic injection 樹脂成型加工

Material 加工材質:	PA66, POM, TPE, PU, PVC, PP
Equipment 機械設備:	90T, 100T, 120T, 150T, 160T, 180T, 200T, 500T

Products 射出品

Machinery parts, Fastener
ファスナー、機械部品等



Metal parts Mfg. 金屬加工品製造

ISO 9001 2015

Forging
stamping
鍛造プレス工場



Die Cast
ダイカスト工場



Plastic
Injection
樹脂成型工場



QC Equip



20T Tensile test
20T強度試験機



5T Tensile test
5T横強度試験機



2D measuring instrument
二次元測定機



3D measuring instrument
三次元測定機



Salt spray test
塩水試験機



HRC hardness test
HRC 硬さ試験機

Zinc Snap Hook



50Z

Eye	O.L	Open
1/2"	3 -1/4"	3/8"
5/8"	3-7/16"	3/8"
3/4"	3-7/16"	3/8"
7/8"	3-3/4"	3/8"



52Z

Eye	O.L	Open
5/8"	3-1/8"	3/8"
3/4"	3-1/8"	3/8"
7/8"	3-1/8"	3/8"
1"	3-1/8"	3/8"



225Z

Eye	O.L	Open
1/2"	3-7/16"	3/8"
5/8"	3-5/8"	3/8"
3/4"	3-5/8"	3/8"
7/8"	3-7/8"	3/8"
1"	3-7/8"	3/8"



017Z

Eye	O.L	Open
5/8"	3-1/4"	3/8"
3/4"	3-1/4"	3/8"
7/8"	3-1/4"	3/8"
1"	3-1/4"	3/8"
1-1/2"	3-1/4"	3/8"
2"	3-1/4"	3/8"



5025Z

Eye	O.L	Open
3/8"	2 -15/16"	3/8"
1/2"	3"	3/8"
5/8"	3-1/8"	3/8"
3/4"	3-3/16"	3/8"



51Z

Eye	O.L	Open
5/8"	3-1/4"	7/16"
3/4"	3 -15/16"	7/16"
1"	3-1/2"	7/16"



53Z

Eye	O.L	Open
1"	3-1/2"	7/16"



017MZ

Eye	O.L	Open
3/4"	3"	3/8"



225MZ

Eye	O.L	Open
1/2"	3"	3/8"
5/8"	3-3/16"	3/8"
3/4"	3-3/16"	3/8"
1"	3-1/2"	3/8"



58Z

Eye	O.L	Open
1/2"	3 "	3/8"
5/8"	3 -3/16"	3/8"
3/4"	3 -3/16"	3/8"
1"	3 -1/2"	3/8"



717TZ

Eye	O.L	Open
1/2"	2-5/8"	1/4"
5/8"	2-5/8"	1/4"



830Z

Eye	O.L	Open
1/2"	3-1/4"	3/8"
5/8"	3-5/16"	3/8"
3/4"	3-3/8"	3/8"
1"	3-5/8"	3/8"



709Z

Eye	O.L	Open
5/16"	2"	1/4"
3/8"	2"	1/4"
1/2"	2"	1/4"



709LZ

Eye	O.L	Open
1/2"	2"	1/4"
3/4"	2"	1/4"
1"	2"	1/4"



848Z

Eye	O.L	Open
5/8"	3-1/16"	5/16"
3/4"	3-1/16"	5/16"
7/8"	3-1/16"	5/16"
1"	3-1/16"	5/16"
1-1/2"	3-1/8"	5/16"
2"	3-1/4"	5/16"



5055Z

Eye	O.L	Open
3/8"	2-11/16"	1/4"
1/2"	2-5/8"	1/4"
5/8"	2-15/16"	1/4"
3/4"	3-1/16"	1/4"



712TZ

Eye	O.L	Open
5/8"	2-3/4"	5/16"
3/4"	2-3/4"	5/16"

Zinc Snap Hook



161Z, 162Z, 163Z

O.L	Open
3-1/2"	3/8"
4"	3/8"
4-5/8"	7/16"



125Z

Eye	O.L	Open
1/2"	3-1/4"	7/16"
5/8"	3-5/16"	7/16"
3/4"	3-9/16"	7/16"



25Z

Eye	O.L	Open
3/4"	3-3/8"	7/16"
1"	3-3/8"	7/16"
2"	3-13/16"	7/16"



249Z

No.	Eye	O.L	Open
No.0	3/8"	2"	1/4"
No.1	1/2"	2-3/8"	5/16"
No.2	9/16"	2-3/4"	7/16"
No.3	11/16"	3-5/16"	1/2"
No.4	13/16"	3-7/8"	5/8"
No.5	1"	4-11/16"	3/4"



251Z

Eye	O.L	Open
3/8"	3-1/8"	7/16"
1/2"	3-1/8"	7/16"
5/8"	3-1/4"	7/16"
3/4"	3-1/4"	7/16"
1"	3-9/16"	7/16"



252Z

Eye	O.L	Open
3/4"	3"	7/16"
7/8"	3"	7/16"
1"	3"	7/16"
1-1/2"	3"	7/16"
2"	3"	7/16"



204Z

Eye	O.L	Open
3/4"	1-3/4"	5/16"



5013Z

Eye	O.L	Open
3/8"	2-1/2"	9/16"
1/2"	2-1/2"	1/2"
5/8"	2-9/16"	1/2"
3/4"	2-9/16"	1/2"



5015Z

Eye	O.L	Open
5/8"	2-3/8"	9/16"
3/4"	2-3/8"	9/16"
1"	2-3/8"	9/16"



59AZ

Eye	O.L	Open
1/2"	3-3/8"	7/16"
5/8"	3-1/2"	7/16"
3/4"	3-1/2"	7/16"
1"	3-3/4"	7/16"



59KZ

Eye	O.L	Open
1/2"	3-5/16"	3/8"
5/8"	3-1/2"	3/8"
3/4"	3-1/2"	3/8"
1"	3-3/4"	3/8"



60AZ

Eye	O.L	Open
5/8"	3-1/8"	7/16"
3/4"	3-1/8"	7/16"
7/8"	3-1/8"	7/16"
1"	3-1/8"	7/16"



60AZT

Eye	O.L	Open
5/8"	3-1/8"	7/16"
3/4"	3-1/8"	7/16"
7/8"	3-1/8"	7/16"



545AZ

Eye	O.L	Open
1/2"	3-1/8"	5/16"
5/8"	3-5/16"	5/16"
3/4"	3-1/4"	5/16"



706Z



57Z

Eye	O.L	Open
1/2"	3-5/16"	5/16"
5/8"	3-5/8"	5/16"
3/4"	3-5/8"	5/16"
1"	3-3/4"	5/16"



58Z

Eye	O.L	Open
5/8"	3-3/16"	5/16"
3/4"	3-3/16"	5/16"
7/8"	3-3/16"	5/16"
1"	3-3/4"	5/16"



3142Z

Eye	O.L	Open
1"	4-1/8"	1/2"

Zinc Snap Hook



56Z

Eye	O.L	Open
3/4"	2-1/2"	5/16"
1"	2-1/2"	5/16"



3726Z

Eye	O.L	Open
3/4"	2-9/16"	5/16"
1"	2-9/16"	5/16"



334Z

Eye	O.L
5/16"	2"
3/8"	2"
1/2"	2-1/8"



222LZ

Eye	O.L
1"	3-7/16"



437Z

Eye	O.L	Open
3/8"	2-1/2"	1/4"
1/2"	2-1/2"	1/4"
5/8"	2-3/4"	1/4"
3/4"	2-7/8"	1/4"



200Z

Eye	O.L	Open
1/2"	3"	1/2"
5/8"	3"	1/2"
3/4"	3"	1/2"
1"	3"	1/2"



202Z

Eye	O.L	Open
1/2"	3-3/16"	1/2"
5/8"	3-3/16"	1/2"
3/4"	3-3/16"	1/2"



222Z

Eye	O.L	Open
1/2"	3-1/2"	1/2"
5/8"	3-5/8"	1/2"
3/4"	3-11/16"	1/2"

Zinc Snap Hook



340Z

Eye	O.L	Open
1/2"	3 -5/8"	1/4"
5/8"	3 -5/8"	1/4"
3/4"	3 -5/8"	1/4"
7/8"	3 -5/8"	1/4"



341Z

Eye	O.L	Open
3/8"	1 -3/4"	3/16"



422Z

O.L	Open
1 -11/16"	1/4"



437Z

Eye	O.L	Open
3/8"	2-1/2"	1/4"
1/2"	2-1/2"	1/4"
5/8"	2-3/4"	1/4"
3/4"	2-7/8"	1/4"



435Z

Eye	O.L	Open
1/2"	2-1/2"	1/4"
5/8"	2-1/2"	1/4"
3/4"	2-1/2"	1/4"



1002LZ

Eye	O.L	Open
1"	4-1/4"	3/4"



1002RZ

Eye	O.L	Open
3/4"	4-7/16"	3/4"
1"	4-3/4"	3/4"
1-1/8"	4-13/16"	3/4"



1007RZ

Eye	O.L
3/4"	3-5/8"

Zinc Buckle



5706Z

Size
3/8", 5/8", 3/4", 1"-1/4", 1-1/2", 2"



146Z

Size
3/8", 1/2", 5/8" 3/4", 1"



05Z

Size
1/2", 5/8", 3/4", 1", 1-5/8"



012Z

Size
1/2", 5/8", 3/4", 1"



121Z

Size
1/2", 5/8", 3/4", 1"




121RZ

Size
1/2", 5/8", 3/4", 1"



210Z

Size
1/2", 5/8", 3/4", 1"



7Z

Size
3/8", 1/2", 5/8", 3/4", 7/8" 1"



D20,50,60,70,80Z

Size
5/16", 3/8", 1/2", 5/8", 3/4", 7/8" 1"



DD Ring

Size
1/2", 5/8", 3/4"



S210Z

Size
3/8", 1/2", 5/8", 3/4", 1"



S510Z

Size
3/8", 1/2", 3/4", 1"



40Z

Size
5/8", 3/4", 1", 1-1/4"



75Z

Size
1/2", 5/8", 3/4", 1"



2008Z

Size
3/8", 1/2", 5/8", 3/4", 1"



150Z

Size
1/2", 5/8", 3/4", 1", 1-1/2"



162Z

Size
1"



369Z

Size
3/4", 1"

Zinc Buckle



370Z

Size
3/4" , 1"



705Z

Size
5/8", 3/4", 7/8", 1"



2338Z

Size
1"



5705Z

Size
3/4" , 1"



5705HZ

Size
3/4" , 1"



5705SZ

Size
1"

Zinc Cam Buckle




CAM-01-06

Size	L(mm)	B.S(Kg)	W(g)
3/4"	34	100	20



CAM01Z

Size	L(mm)	B.S(Kg)	W(g)
1"	44	250	34



CAM-01HZ

Size	L(mm)	B.S(Kg)	W(g)
1"	42	350	47



CAM-01NZ

Size	L(mm)	B.S(Kg)	W(g)
1"	44	250	30



CAM-02Z

Size	L(mm)	B.S(Kg)	W(g)
1"	51	350	52



CAM-04

Size	L(mm)	B.S(Kg)	W(g)
1"	64	600	127
1-1/2"	62	800	151
2"	73	1000	256



CAM-03Z


Size	L(mm)	B.S(Kg)	W(g)
1-1/2"	59	700	123



CAM-06-16

Size	L(mm)	B.S(Kg)	W(g)
2"	74	1360	276


Stainless steel snap hooks



5013S

AISI 304 OR AISI 316

Items No	SIZE(mm)	A	B	C	D	E
DP-5013S	1/2×65	66.5	15.5	10.5	4.2	7.0



225LS

AISI 304 OR AISI 316


Items No	SIZE(mm)	A	B	C	D
DP-225LS	3/8×65	11.5	3.5	9.0	66.0
DP-225LS	1/2×72	13.5	4.0	9.5	73.0
DP-225LS	5/8×82	17.5	4.5	10.0	84.0
DP-225LS	3/4×91	21.5	5.0	11.5	92.0
DP-225LS	1×100	26.5	5.5	12.0	101.0
DP-225LS	1-1/4×126	34.0	6.0	14.0	127.0



017S

AISI 304 OR AISI 316

Items No	SIZE(mm)	A	B	C	D
DP-017S	5/8×59	17.5	3.5	9.0	60.0
DP-017S	3/4×66	23.5	4.0	9.5	67.0
DP-017S	1×73	25.5	4.5	10.0	74.0
DP-017S	1-1/8×80	31.5	5.0	11.0	81.0
DP-017S	1-1/4×85	36.5	5.5	12.0	86.0
DP-017S	1-1/2×105	42.5	6.0	14.0	107.0



225S

AISI 304 OR AISI 316

Items No	SIZE (mm)	A	B	C	D
DP-225S	1/2×63	14.5	3.5	9.0	64.0
DP-225S	5/8×71	17.5	4.0	9.5	72.0
DP-225S	3/4×81	22.0	4.5	10.0	82.0
DP-225S	1×90	26.0	5.0	11.0	91.0
DP-225S	1-1/8×97	29.0	5.5	12.0	98.0
DP-225S	1-1/4×119	34.5	6.0	14.0	120.0

Stainless steel snap hooks



251S

AISI 304 OR AISI 316

Items No	SIZE	A	B	C
DP-251S	0#	69.0	6.5	16.0
DP-251S	1#	88.0	9.0	19.0
DP-251S	2#	101.0	14.0	21.0
DP-251S	3#	121.0	16.0	27.0



3142S

AISI 304 OR AISI 316


Items No	Size	A	B	C	D	E
DP-3142S	25×100	102.5	17.5	15.5	27.0	7.0



3726S

AISI 304 OR AISI 316


Items No	SIZE	A	B	C	D	E
DP-3726S	27×65	66.0	27.0	4.2	9.0	12.0



Z0188S

AISI 304 OR AISI 316

Items No	SIZE	A	B	C	D
DR-Z0188S	0#	53.0	10.0	7	4.0
DR-Z0188S	1#	72.0	16.0	12.0	5.0
DR-Z0188S	2#	83.0	19.0	13.0	6.0
DR-Z0188S	3#	100.0	22.0	14.0	7.0



Bit Jointed & Chain



Bolt Snap



Buckle



26M

Size 7/8"



29M

Size 2"



210M

Size 1"



1020M

Size 1-1/4"




40M

Size 1"



078M

Size 1-1/4"



1280SS

Size 1"



5705M

Size 1"



5706M

Size 1-1/8"



150M

Size 1-1/4"
1-1/2"



K9M

Size 1"



19010M

Size 7/8"



19026M

Size 1/2" O.L.
2-3/4"



19027M

Size 1/2"



369M

Size 3/4"
1"



370M

Size 3/4"
1"



370MB

Size 3/4"
1"



370MZ

Size 3/4"
1"



19050M-1

Size 3"



19050M-2

Size 1-1/4"

Pulley



0173M

Wheel Dia	Dia Rope Size
1/2"	5/32"
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	5/16"
2"	7/16"



0174M

Wheel Dia	Dia Rope Size
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	5/16"
2"	7/16"
2-1/2"	7/16"



0176M

Wheel Dia	Dia Rope Size
1"	1/4"
1-1/4"	5/16"
1-1/2"	5/16"



0178M

Wheel Dia	Dia Rope Size
3/4"	3/16"
1"	1/4"

Swivel



166M

Small Eye	Big Eye	O.L
3/16"	1-1/4"	2"
1/4"	1-3/4"	2-3/8"
3/8"	2-1/4"	2-3/4"
1/2"	2-3/4"	3-1/4"



178M

Eye	O.L
3/8"	2"
1/2"	2-1/4"
5/8"	2-3/8"
3/4"	2-1/2"
1"	3"
1-1/8"	3-1/4"
1-1/4"	3-3/4"



178MS

Eye	O.L
3/4"	1-5/8"
1"	1-7/8"
2"	2-3/4"

Snap Hook



200M

Eye	O.L
3/4"	3"
1"	3"
1-1/4"	3"
1-1/2"	3"
2"	3-3/4"



200MX

Eye	O.L
1"	4"



202M

Eye	O.L
5/8"	3-1/4"



203M

Eye	O.L
1/2"	2-7/8"



249M-3

Eye	O.L
3/4"	4-1/4"



820M

Eye	O.L
5/8"	3"



251M-4

Eye	O.L
1-1/8"	4-3/4"



333M

Eye	O.L
1-1/8"	5"



333MH

Eye	O.L
1"	5-1/8"



251M-2

Eye	O.L
5/8"	3-1/2"
3/4"	4"



826M

Eye	O.L
3/16"	3"
1/4"	4"
5/16"	4-3/4"



830M

Eye	O.L
5/8"	3-1/4"
3/4"	3-1/2"
1"	3-1/2"



830ML

Eye	O.L
5/8"	3-1/2"
3/4"	3-1/2"



848M

Eye	O.L
3/4"	3"
1"	3"



850M

Eye	O.L
1"	4"
1-1/8"	4-1/8"



850 MJ

Eye	O.L
1-1/8"	5"



850ML

Eye	O.L
1"	4-1/4"



Item	O.L
853M	3-3/4"
855M	5-3/16"



1002MR

Eye	O.L
7/8"	4-1/2"



1002MS

Eye	O.L
1-1/8"	4-1/2"



1001M

Eye	O.L
1/2"	3-7/8"



1001MEX

Eye	O.L
1/2"	3-7/8"

Snap Hook



2311ML

Eye	O.L
5/8"	4"
3/4"	4"
1-1/8"	5"



2311MX

Eye	O.L
5/8"	3-1/2"
3/4"	3-1/2"



3141M

Eye	O.L
3/4"	3-3/4"



3142M

Eye	O.L
7/8"	4"



3142ML

Eye	O.L
1-1/8"	4-7/8"



3143M

Eye	O.L
1"	4"



5013M

Eye	O.L
3/4"	4"
1"	4-1/2"

Other




1991M

Size
4"
4-1/4"
4-1/2"
4-3/4"



244543
Hoof Picker




184M

O.L
60mm
80mm



4015M

Size
25mm
45mm
60mm



Rope




Turnbuckle 0626

Size							
1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	



Wire Rope Clip 0326

Size					
1/8"	3/16"	1/4"	5/16"	3/8"	
1/2"	5/8"	3/4"	7/8"	1"	



Snap Hook 0412

Size	4mm	5mm	6mm	7mm	8mm	9mm	10mm	11mm	12mm
O.L	40mm	50mm	60mm	70mm	80mm	90mm	100mm	120mm	140mm



Quick Link 3512

Size	3.5mm	4mm	5mm	6mm	7mm	8mm	9mm	10mm	12mm
O.L	36mm	40mm	50mm	58mm	67mm	74mm	82mm	91mm	106mm



Adjuster



WS1938
Adjustable Slider

Width(Inner)	Wire Dia
19mm(3/4")	2.5mm(0.098")
26mm(1")	2.7mm(0.106")
32mm(1-1/4")	2.9mm(0.114")
38mm(1-1/2")	2.9mm(0.114")



ST-3011
Stamper Slider

Width(Inner)	Thickness
11mm(7/16")	0.6mm(0.023")
13mm(1/2")	1.0mm(0.039")
16mm(5/8")	1.0mm(0.039")
19mm(3/4")	1.0mm(0.039")
26mm(1")	1.0mm(0.039")
32mm(1-1/4")	1.0mm(0.039")
38mm(1-1/2")	1.0mm(0.039")
51mm(2")	1.0mm(0.039")



A-97B
Square Adjuster

Width(Inner)	Thickness
26mm(1")	2.0mm(0.078")
32mm(1-1/4")	2.0mm(0.078")



WM1951
Wire Moveable Slider

Wire Dia	Width(Inner)	Height(Inner)
2.5mm	19mm(3/4")	15mm(5/8")
3.0mm	19mm(3/4")	15mm(5/8")
3.0mm	19mm(3/4")	19mm(3/4")
2.5mm	26mm(1")	15mm(5/8")
3.0mm	26mm(1")	15mm(5/8")
3.5mm	26mm(1")	15mm(5/8")
3.0mm	26mm(1")	19mm(3/4")
3.5mm	26mm(1")	19mm(3/4")
3.0mm	32mm(1-1/4")	16mm(5/8")
3.5mm	32mm(1-1/4")	16mm(5/8")
3.0mm	38mm(1-1/2")	16mm(5/8")
3.5mm	38mm(1-1/2")	16mm(5/8")
4.0mm	38mm(1-1/2")	16mm(5/8")
3.5mm	38mm(1-1/2")	19mm(3/4")
4.0mm	38mm(1-1/2")	19mm(3/4")
4.0mm	45mm(1-3/4")	19mm(3/4")
4.0mm	51mm(2")	19mm(3/4")
4.5mm	51mm(2")	19mm(3/4")
5.0mm	51mm(2")	19mm(3/4")



Zinc Slider

Item Number	Width(Inner)	Height(Inner)
T-65	10.7mm	4.5mm
T-68	11mm	5.3mm
T-64	13mm	4.8mm
T-82	13mm	5.4mm
T-60	16mm	6mm
T-62	19.3mm	5.1mm
T-61	21mm	6.4mm
T-63	25.4mm	6mm
T-67	26.5mm	7.7mm
D722	32mm	6mm
D720	38mm	7.5mm
D723	51mm	7.5mm



Steel Buckle



369
Stamped Halter Square

Width(Innner)	Thinkness
26mm(1")	2.3mm(0.09")




1140FS
Stamped Halter Buckle

Width(Innner)	Thinkness
26mm(1")	4mm(0.157")

1180SS
Stamped Bridle Buckle
Material: Stainless Steel

Width(Inner)	Thickness
19mm(3/4")	3.2mm(0.125")
26mm(1")	4mm(0.157")
29mm(1-1/8")	4mm(0.157")



1183SS
Stamped Bridle Buckle
Material: Stainless Steel

Width(Inner)	Thinkness
10mm(3/8")	2.0mm(0.078")
13mm(1/2")	2.5mm(0.098")
16mm(5/8")	2.5mm(0.098")
20mm(3/4")	2.5mm(0.098")
22mm(7/8")	2.5mm(0.098")
26mm(1")	3mm(0.118")

5875
Cinch Buckle
Material: Steel, Stainless Steel

Width(Inner)	Wire Dia
76mm(3")	9.0mm(0.354")



5880
Cinch Buckle
Material: Steel, Stainless Steel

Width(Inner)	Wire Dia
76mm(3")	8.0mm(0.314")

5860
Cinch Buckle
Material: Steel, Stainless Steel

Width(Inner)	Wire Dia
76mm(3")	8.0mm(0.314")





9482
Stamped Halter Buckle

Width(Inner)	Thinkness
26mm(1")	2.3mm(0.09")
32mm(1-1/4")	2.3mm(0.09")
38mm(1-1/2")	2.3mm(0.09")

5387ST
Stamped Halter Slide

Width(Inner)	Thinkness
26mm(1")	2.0mm(0.078")



1026ST
Stamped Halter Slide

Width(Inner)	Thinkness
26mm(1")	2.0mm(0.078")

Loop



50w Flat Loop,Unwelded

Width(Inner)	Height(Inner)	Thinkness
13.4mm	5.8mm	0.8mm
13.5mm	8.0mm	0.8mm
16mm	6.3mm	0.7mm
16mm	8.7mm	1.0mm
16mm	10mm	1.0mm
16.5mm	7.7mm	0.8mm
19mm	6.0mm	0.8mm
19.5mm	7.6mm	0.8mm
19.5mm	9.3mm	0.8mm
21mm	6.0mm	0.8mm
22.5mm	6.0mm	0.7mm
23mm	7.8mm	0.8mm
23mm	9mm	0.8mm
25.5mm	6mm	0.7mm
26mm	9mm	0.8mm
28mm	6.5mm	0.8mm
28.3mm	5.8mm	0.7mm
29mm	8.3mm	0.8mm
32mm	6.5mm	0.8mm




60w Flat Loop,Unwelded

Width(Inner)	Height(Inner)	Thinkness
32mm	6.7mm	0.9mm
35mm	7mm	0.9mm
36mm	9.2mm	0.9mm
38.5mm	7.2mm	0.9mm



6014W Semicircular Loop,Unwelded

Width(Inner)	Height(Inner)	Thinkness
13mm	8.6mm	1.4mm
15mm	10mm	1.4mm
17mm	8.5mm	1.4mm
19.3mm	9.7mm	1.4mm
23mm	10mm	1.4mm
26.2mm	13mm	1.4mm
31.7mm	13mm	1.4mm




1609W Steel Loop,Unwelded

Width(Inner)	Height(Inner)	Thinkness
10.5mm	3mm	0.9mm
10.5mm	5.5mm	0.9mm
10.5mm	6.5mm	0.9mm



Hook



200ST Stamped Spring Hook

Eye	O.L	Thickness
20mm(3/4")	77mm(3")	2.5mm(0.098")
26mm(1")	77mm(3")	2.5mm(0.098")



3451 Spring Snap Hook

Eye	O.L	Wire Dia
26mm (1")	51mm(2")	3.4mm(0.133")
38mm (1-1/2")	51mm(2")	3.4mm(0.133")
51mm (2")	51mm(2")	3.4mm(0.133")



37H Hammock Hook

Hook	Plate
7.5mmx100mm	45mmx71mm



3035 Steel Wire Hook

Eye	O.L	Wire Dia
19mm (3/4")	35mm(1-3/8")	3mm(0.118")



5068 Spring Snap Hook

Eye	O.L	Wire Dia
26mm(1")	68mm(2-11/16")	5mm(0.196")
32.5mm(1-1/4")	68mm(2-11/16")	5mm(0.196")
39mm(1-1/2")	68mm(2-11/16")	5mm(0.196")
51.5mm(2")	68mm(2-11/16")	5mm(0.196")



3051 Spring Snap Hook

Eye	O.L	Wire Dia
19mm (3/4")	51mm(2")	3mm(0.118")
26mm (1")	51mm(2")	3mm(0.118")
32mm (1-1/4")	51mm(2")	3mm(0.118")
38mm (1-1/2")	51mm(2")	3mm(0.118")
51mm (2")	51mm(2")	3mm(0.118")



R-4 Ring Hook Attached

O-Ring	Plate
7mmx51mm	45mmx71mm



734 Spring Snap Hook

Item No	Dimensions	
	Body Length	Body Thickness
734-2007	20.3mm	0.7mm
734-3111	31.6mm	1.1mm
734-4113	41.6mm	1.3mm
734-4315	43.4mm	1.5mm
734-5220	52.5mm	2.0mm

Ring



D1 Welded

Material:Steel,Stainless Steel

Width(Inner)	Wire Dia
8mm(5/16")	1.5mm(0.059")
10mm(3/8")	2.2mm(0.086")
13mm(1/2")	3.0mm(0.118")
16mm(5/8")	3.2mm(0.125")
19mm(3/4")	3.5mm(0.137")
23mm(7/8")	3.5mm(0.137")
26mm(1")	4.5mm(0.177")
28.6mm(1-1/8")	4.5mm(0.177")
30mm(1-3/16")	4.5mm(0.177")
32mm(1-1/4")	5.0mm(0.196")
35mm(1-3/8")	5.5mm(0.216")
38mm(1-1/2")	5.7mm(0.224")
45mm(1-3/4")	6.0mm(0.236")
51mm(2")	6.0mm(0.236")
60mm(2-3/8")	6.0mm(0.236")
64mm(2-1/2")	6.5mm(0.255")
76mm(3")	8.0mm(0.314")



D2 Welded

Material:Steel,Stainless Steel

Width(Inner)	Wire Dia
8mm(5/16")	1.5mm(0.059")
10mm(3/8")	2.2mm(0.086")
13mm(1/2")	3.0mm(0.118")
16mm(5/8")	3.2mm(0.125")
19mm(3/4")	3.5mm(0.137")
23mm(7/8")	3.5mm(0.137")
26mm(1")	4.5mm(0.177")
28.6mm(1-1/8")	4.5mm(0.177")
30mm(1-3/16")	4.5mm(0.177")
32mm(1-1/4")	5.0mm(0.196")
35mm(1-3/8")	5.5mm(0.196")
38mm(1-1/2")	5.7mm(0.224")
45mm(1-3/4")	6.0mm(0.236")
51mm(2")	6.0mm(0.236")
60mm(2-3/8")	6.0mm(0.236")
64mm(2-1/2")	6.5mm(0.255")
76mm(3")	8.0mm(0.314")



D3 Welded

Material:Steel,Stainless Steel

Width(Inner)	Wire Dia
8mm(5/16")	1.5mm(0.059")
10mm(3/8")	2.2mm(0.086")
13mm(1/2")	3.0mm(0.118")
16mm(5/8")	3.2mm(0.125")
19mm(3/4")	3.5mm(0.137")
23mm(7/8")	3.5mm(0.137")
26mm(1")	4.5mm(0.177")
28.6mm(1-1/8")	4.5mm(0.177")
30mm(1-3/16")	4.5mm(0.177")
32mm(1-1/4")	5.0mm(0.196")
35mm(1-3/8")	5.5mm(0.196")
38mm(1-1/2")	5.7mm(0.224")
45mm(1-3/4")	6.0mm(0.236")
51mm(2")	6.0mm(0.236")
60mm(2-3/8")	6.0mm(0.236")
64mm(2-1/2")	6.5mm(0.255")
76mm(3")	8.0mm(0.314")



OR10254 O-Ring

Material:Steel,Stainless Steel

Width(Inner)	Wire Dia
10mm(3/8")	2.0mm(0.078")
13mm(1/2")	3.0mm(0.118")
16mm(5/8")	3.5mm(0.137")
19mm(3/4")	3.5mm(0.137")
23mm(7/8")	4.0mm(0.157")
26mm(1")	4.5mm(0.177")
32mm(1-1/4")	5.7mm(0.196")
38mm(1-1/2")	6.0mm(0.236")
51mm(2")	6.0mm(0.236")
64mm(2-1/2")	6.0mm(0.236")
76mm(3")	6.5mm(0.255")
101mm(4")	8.0mm(0.314")
127mm(5")	8.0mm(0.314")
152mm(6")	8.0mm(0.314")
203mm(8")	8.0mm(0.314")
238mm(9")	10mm(0.393")
254mm(10")	10mm(0.393")



B2526 B-Ring

Material:Steel

Width(Inner)	Wire Dia
26mm(1")	2.5mm(0.098")



MS88 Flat D-Ring

Material:Steel

Width(Inner)	Wire Dia
21mm(13/16")	3.5mm(0.137")



RK6045 Rectangle Ring With Knurling

Material:Stainless Steel

Width(Inner)	Wire Dia
45mm(1-3/4")	6mm(0.236")

Ring



Screw Lock Ring

Item Number	Width(Inner)	Height(Inner)
CY-5212	51mm(2")	42mm(1-5/8")
CY-5213	76mm(3")	63mm(2-1/2")
CY-5214	101mm(4")	78mm(3-1/16")
CY-5215	127mm(5")	100mm(3-15/16")
CY-5216	152mm(6")	139mm(5-1/2")
CY-5217	177mm(7")	152mm(6")
CY-5218	203mm(8")	195mm(7-11/16")
CY-52110	254mm(10")	233mm(9-3/16")
CY-52112	304mm(12")	273mm(10-3/4")



Hinged Key Ring

Item Number	Width(Inner)	Wire Dia
A001	19mm(3/4")	2.45mm(0.096")
A002	26mm(1")	2.95mm(0.116")
A003	32mm(1-1/4")	2.95mm(0.116")
A004	38mm(1-1/2")	2.95mm(0.116")
A005	51mm(2")	3.15mm(0.124")
A006	60mm(2-3/8")	3.15mm(0.124")
A007	76mm(3")	4.2mm(0.165")



TR1364 Triangle Ring

Width(Inner)	Wire Dia
13mm(1/2")	3.0mm(0.118")
16mm(5/8")	3.2mm(0.125")
19mm(3/4")	3.5mm(0.137")
26mm(1")	4.5mm(0.177")
29mm(1-1/8")	4.5mm(0.177")
32mm(1-1/4")	4.5mm(0.177")
38mm(1-1/2")	4.5mm(0.177")
51mm(2")	6.0mm(0.236")
64mm(2-1/2")	6.0mm(0.236")



RR10127 Rectangle Ring

Width(Inner)	Wire Dia
10mm(3/8")	2.2mm(0.086")
13mm(1/2")	2.5mm(0.098")
16mm(5/8")	2.5mm(0.098")
19mm(3/4")	3.0mm(0.118")
23mm(7/8")	3.0mm(0.118")
26mm(1")	3.5mm(0.137")
30mm(1-3/16")	3.5mm(0.137")
32mm(1-1/4")	4.0mm(0.157")
35mm(1-3/8")	4.0mm(0.157")
38mm(1-1/2")	4.5mm(0.177")
41mm(1-5/8")	4.5mm(0.177")
45mm(1-3/4")	5.0mm(0.196")
51mm(2")	6.0mm(0.236")
60mm(2-3/8")	6.0mm(0.236")
70mm(2-3/4")	4.0mm(0.157")
76mm(3")	4.0mm(0.157")
80mm(3-1/8")	4.0mm(0.157")
90mm(3-1/2")	4.0mm(0.157")
102mm(4")	4.0mm(0.157")
127mm(5")	4.0mm(0.157")



OR10127 Oval Ring

Width(Inner)	Wire Dia
10mm(3/8")	2.2mm(0.086")
13mm(1/2")	2.5mm(0.098")
16mm(5/8")	2.5mm(0.098")
19mm(3/4")	3.0mm(0.118")
23mm(7/8")	3.0mm(0.118")
26mm(1")	3.5mm(0.137")
30mm(1-3/16")	3.5mm(0.137")
32mm(1-1/4")	4.0mm(0.157")
35mm(1-3/8")	4.0mm(0.157")
38mm(1-1/2")	4.5mm(0.177")
41mm(1-5/8")	4.5mm(0.177")
45mm(1-3/4")	5.0mm(0.196")
51mm(2")	6.0mm(0.236")
60mm(2-3/8")	6.0mm(0.236")
70mm(2-3/4")	4.0mm(0.157")
76mm(3")	4.0mm(0.157")
80mm(3-1/8")	4.0mm(0.157")
90mm(3-1/2")	4.0mm(0.157")
102mm(4")	4.0mm(0.157")
127mm(5")	4.0mm(0.157")



OL1626 O-Ring With Loop

Loop	O-Ring
4.0mmx16mm	4.5mmx26mm
5.0mmx26mm	6.0mmx38mm



OL1932 O-Ring With Loop

Loop	O-Ring
5.0mmx19mm	5.7mmx32mm
5.0mmx19mm	5.0mmx32mm

Roller buckle



**999
Roller Buckle, Welded**

Width(Inner)	Wire Dia
W21.5mm(3/4")xH16mm	4.5mm(0.177")
W27.3mm(1")xH17mm	5.0mm(0.197")
W29.7mm(1-1/8")xH18mm	5.0mm(0.197")
W34mm(1-1/4")xH24mm	5.0mm(0.197")
W40mm(1-1/2")xH26mm	5.5mm(0.216")
W47mm(1-3/4")xH30mm	6.0mm(0.236")
W53mm(2")xH30mm	6.0mm(0.236")
W53mm(2")xH30mm	6.5mm(0.256")

**999-SS
Stainless Steel Roller Buckle**

Width(Inner)	Wire Dia
W21.5mm(3/4")xH16mm	4.5mm(0.177")
W27.3mm(1")xH17mm	5.0mm(0.197")
W29.7mm(1-1/8")xH18mm	5.0mm(0.197")
W34mm(1-1/4")xH24mm	5.0mm(0.197")
W40mm(1-1/2")xH26mm	5.5mm(0.216")
W47mm(1-3/4")xH30mm	6.0mm(0.236")
W53mm(2")xH30mm	6.0mm(0.236")
W53mm(2")xH30mm	6.5mm(0.256")



**998
Roller Buckle, Welded**

Width(Inner)	Wire Dia
W42mm(1-1/2")	5.5mm(0.216")
W46mm(1-3/4")	6.0mm(0.236")



**RB1076
Square Ring Roller Buckle**

Width(Inner)	Wire Dia
10mm(3/8")	2.2mm(0.086")
13mm(1/2")	2.5mm(0.098")
16mm(5/8")	3.0mm(0.118")
19mm(3/4")	3.5mm(0.137")
23mm(7/8")	3.5mm(0.137")
26mm(1")	3.5mm(0.137")
30mm(1-1/8")	4.0mm(0.157")
32mm(1-1/4")	4.0mm(0.157")
35mm(1-3/8")	4.0mm(0.157")
38mm(1-1/2")	4.0mm(0.157")
45mm(1-3/4")	5.0mm(0.197")
51mm(2")	6.0mm(0.236")



**RB1431
Roller Buckle with one bar**

Width(Inner)	Wire Dia
14mm(1/2")	2.8mm(0.11")
17mm(5/8")	3.0mm(0.118")
20mm(3/4")	3.5mm(0.137")
24mm(7/8")	3.5mm(0.137")
28mm(1")	4.0mm(0.157")
31mm(1-1/8")	4.0mm(0.157")



**999-2AG
Roller Buckle With 2 Pins**
Material: Steel

Width(Inner)	Wire Dia
W47mm(1-3/4")xH30mm	6.0mm(0.236")
W53mm(2")xH30mm	6.0mm(0.236")



**999-2BG
Roller Buckle With 2 Pins**
Material: Steel

Width(Inner)	Wire Dia
W55mm(2")xH34mm	6.0mm(0.236")

Brass Snap hook



200B

Eye	O.L
3/4"	77
1-1/8"	83



200RB

Eye	O.L
1"	80
1-1/2"	90



3726B

Eye	O.L
5/8"	64
3/4"	65
1"	68



3726RB

Eye	O.L
1"	74



249B

Eye	O.L
12	56
16	71
18	81
21	97



1002R

Eye	O.L
28	110



3002B

Eye	O.L
28	107
28	116



5013B

Eye	O.L
3/8"	66.5
1/2"	67
5/8"	70
3/4"	72.5



5015B

Eye	O.L
1/2"	62.5
5/8"	65
3/4"	65
1"	67



125B

Eye	O.L
3/8"	91



830B

Eye	O.L
5/8"	80
3/4"	88
7/8"	109



161B / 162B / 163B

No.	O.L
161B	92
162B	102
163B	121



2311B

Eye	O.L
3/4"	102
1-1/8"	117



3142B

Eye	O.L
7/8"	98



231B / 232B

No.	O.L
231B	101
232B	87

Brass Snap hook



227B

Eye	O.L
5/8"	53



1050B

Eye	O.L
1/2"	59
5/8"	61



4979B

Eye	O.L
3/4"	91.5



5045B

Eye	O.L
3/8"	62.5
1/2"	64.5



5025B

Eye	O.L
3/8"	75
1/2"	75
5/8"	79



225B

No	Eye	O.L
225B-58	5/8"	82
225B-34	3/4"	81
225B-1	1"	91
225S-118	1-1/8"	118
225S-114	1-1/4"	118
225HB-58	5/8"	82
225HB-34	3/4"	81
225HB-1	1"	94
225HB-118	1-1/8"	116



017B

No	Eye	O.L
017B-58	5/8"	76
017B-34	3/4"	76
017B-1	1"	78
017B-112	1-1/2"	80
017B-2	2"	82
017HB-58	5/8"	76
017HB-34	3/4"	76
017HB-1	1"	82
017HB-2	2"	84



5026B

Eye	O.L
3/4"	79



251B

No.	O.L
251B-1	82
251B-2	93
251B-3	113



853B / 855B

No.	O.L
853B	95
855B	130

Brass Buckle



123B

Size	I.H
1/2"	26.6
5/8"	29.7
3/4"	33



147B

Size	I.H
1/2"	26.7
5/8"	29.8
3/4"	38.7
1"	47.4
1-1/4"	51
1-1/2"	62



150B

Size	I.H
1/2"	25.8
5/8"	30
3/4"	32.1
1"	44.5
1-1/4"	47.1
1-1/2"	53



210B

Size	I.H
1/2"	25.1
5/8"	31
3/4"	32.3
1"	40.8



275B

Size	I.H
1/2"	11.8
5/8"	14.7
3/4"	14.1
7/8"	17
1"	19.5
1-1/4"	23.1
1-1/2"	23.9



899B

Size	I.H
1-1/2"	32.5
1-3/4"	38.5



1162B

Size	I.H
5/8"	27.5
3/4"	32.7
1"	43.6



1165B

Size	I.H
5/8"	25
3/4"	31
1"	35

Brass Buckle



4430B

Size	I.H
2-1/4"	31.3



49B

Size	I.H
5/8"	19
3/4"	23.1
1"	30.5



12B

Size	I.H
1/2"	15.8
5/8"	20.2
3/4"	25.3
7/8"	27.2
1"	29.4
1-1/4"	34.1
1-1/2"	43.6



50B

Size	I.H
1/2"	13.5
5/8"	15.9
3/4"	16.6
1"	19.4
1-1/8"	23.9
1-1/4"	25.6
1-3/4"	28.8
2"	31.2



5705B

No	Size	I.H
5705B-12	1/2"	28.7
5705B-58	5/8"	34.7
5705B-34	3/4"	37.4
5705B-78	7/8"	41.4
5705B-1	1"	43.9
5705B-118	1-1/8"	46.7
5705B-114	1-1/4"	52.2
5705B-112	1-1/2"	55.8
5705S-12	1/2"	20.2
5705S-58	5/8"	34.7
5705S-34	3/4"	38.1
5705S-78	7/8"	45.3
5705S-112	1-1/2"	64.4



5B

Size	I.H
1/2"	17.3
5/8"	21.5
3/4"	24.5
1"	31.9
1-1/4"	39.5
1-1/2"	44.2



121B

Size	I.H
1/2"	27
5/8"	29.2
3/4"	34
7/8"	35.9
1"	43

Brass Ring & Adjustable buckle



O-Ring

Size	
1/2" x 3.2	1-3/8" x 5.5
5/8" x 4.0	1-1/2" x 5.0
3/4" x 4.0	1-1/2" x 6.0
7/8" x 4.0	1-1/2" x 6.5
1" x 4.0	1-3/4" x 6.2
1" x 4.5	2" x 6.2
1" x 5.0	2" x 7.0
1-1/8" x 4.8	2" x 7.8
1-1/8" x 5.0	2-1/2" x 7.0
1-1/4" x 5.2	3" x 8.0
1-1/4" x 5.5	



452B

Size	
3/8" x 3.0	1" x 4.3
1/2" x 3.3	1" x 5.0
1/2" x 3.8	1-1/8" x 4.8
5/8" x 3.3	1-1/4" x 5.0
5/8" x 4.0	1-3/8" x 5.0
7/8" x 4.0	1-1/2" x 5.3
1" x 4.0	



356B

Size
5/8" x 3/4"
7/8" x 1"
1" x 1-1/4"
1-1/4" x 1-1/2"
1-1/2" x 1-3/4"



3250B

Size
1" x 7/8" Dia 5mm



369B

Size
1/2"
5/8"
3/4"
7/8"
1"



370B

Size
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"



499B

Size	I.H
5/8"	6.2
3/4"	7.1
1"	7.2



499B

Size
1-1/4" x 3/4"
1-3/8" x 1"
1-1/2" x 3/4"
1-1/2" x 1"

Brass Hardware



Rope Clamps

No.	Size
24	1/2"
26'	7/8"



18B

Size	I.H
1/2"	47.9
5/8"	68
3/4"	68
1"	83.1



539B Pin

I.D	F.L
20	40
25	40



586B

Size	I.W
1"	26.2
3/4"	21.5



5325B

Size	O.L
4-1/4"	73
3-1/2"	54.5



789B

Size	I.D	T.L
1-1/8"	29.5	18
1-1/8"	29.5	24
1-1/4"	30.5	25
1-1/2"	37.5	30



1040 Brass Chain

Suspender Clips




Suspender Clips



Adjuster



Adjuster



Slides

ST-3010-2"



ST-3011-2"



ST-3011-1-1/2"



ST-3011-1"



ST-3011-1-1/4"



ST-3011-3/4"



ST-3011-5/8"



ST-3011-1/2"



ST-3012-1-1/2"



ST-3012-2"




ST-3012-1-1/4"



Military Buckles

ST-4009-25mm




ST-4009-32mm



ST-4009-35mm



ST-4009-38mm



ST-4010-25mm



ST-4010-32mm



ST-4010-38mm



ST-4001-1-1/8"



ST-4001L-1"



ST-4001-1"



ST-4001S-1"



Military Buckles



ST-4001L-1-1/2"



ST-4001-1-1/2"



ST-4001-1-3/8"



ST-4001-1-1/4"



ST-4001L-1-1/4"



ST-4001S-1-1/4"



RATCHET BUCKLE Detachable Series

Ideal for trucks and long-way deliveries.
Meet environment protection and energy saving trendy.
Prevent unauthority off-load - the ratchet is not able to be loosened without handle.
Space saving and weight reduction.
Freely matching handle and ratchet-body as packs.
Taiwan Excellence rewarded.



RATCHET BUCKLE Ergonomic Rubber Grip Series

Heavy duty load securing preferred.
High visibility with colorful rubber handle.
Side rubber caps for better protection.



2" Detachable Ratchet Buckle
R518901

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Removable handle type
Ergonomic wide plastic grip

A:54mm B:98mm C:57mm D:211mm



2" Stainless Detachable Ratchet Buckle
R518902

Size: 2"/50mm
B.S: 2500kg
SUS 304
Removable handle type
Ergonomic wide plastic grip

A:54mm B:98mm C:57mm D:211mm



2" Ergonomic Rubber Handle Ratchet Buckle
R510417

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Rubber grip

A:54mm B:107mm C:60mm D:223mm



2" Ergonomic Middle Handle Ratchet Buckle
R510313

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:54mm B:107mm C:54mm D:205mm



1.5" Detachable Ratchet Buckle
R438901

Size: 1.5"/35mm
B.S: 3000kg
Finish: Zinc & Electric Black
Removable handle type
Ergonomic wide plastic grip

A:42mm B:80mm C:59mm D:190mm



1.5" Stainless Detachable Ratchet Buckle
R438902

Size: 1.5"/35mm
B.S: 1500kg
SUS 304
Removable handle type
Ergonomic wide plastic grip

A:42mm B:80mm C:44mm D:175mm



1.5" Ergonomic Light Duty Ratchet Buckle
R380308

Size: 1.5"/35mm
B.S: 1800kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:42mm B:80mm C:40mm D:150mm



1" Ergonomic Rubber Handle Ratchet Buckle
R280102

Size: 1"/25mm
B.S: 1500kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip


A:30mm B:65mm C:41mm D:139mm



1.5" Light duty Detachable Ratchet Buckle
R388901

Size: 1.5"/35mm
B.S: 1800kg
Finish: Zinc & Electric Black
Removable handle type
Ergonomic & anti-slip wide plastic grip


A:42mm B:80mm C:42mm D:172mm



1" Ergonomic Light Duty Ratchet Buckle
R240109

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc & Electric Black
Rubber grip

A:27mm B:43mm C:41mm D:125mm



RATCHET BUCKLE

Ergonomic Rubber Grip Series

Heavy duty load securing preferred.
High visibility with colorful rubber handle.
Side rubber caps for better protection.

RATCHET BUCKLE

A.B.S & Extendable Series

Ideal for commercial use.
Heavy duty load securing preferred.
Made for diagonal lashing.
Powerful working ability.
Telescopic handle for better pre-tension.
Built-in safety device for slow down the release during off-load.
Ergonomic wide plastic grip for ease of operation.
Taiwan Excellence rewarded.



2" Ergonomic Rubber Handle Ratchet Buckle
R510417

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Rubber grip

A:54mm B:107mm C:60mm D:223mm



2" Ergonomic Middle Handle Ratchet Buckle
R510313

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:54mm B:107mm C:54mm D:205mm



1.5" Ergonomic Light Duty Ratchet Buckle
R380308

Size: 1.5"/35mm
B.S: 1800kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip

A:42mm B:80mm C:40mm D:150mm



1" Ergonomic Rubber Handle Ratchet Buckle
R280102

Size: 1"/25mm
B.S: 1500kg
Finish: Zinc & Electric Black
Middle handle type
Rubber grip


A:30mm B:65mm C:41mm D:139mm



1" Ergonomic Light Duty Ratchet Buckle
R240109

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc & Electric Black
Rubber grip

A:27mm B:43mm C:41mm D:125mm



3" A.B.S Ratchet Buckle
R760703

Size: 3"/75mm
B.S: 10000kg
Finish: Yellow Zinc & Electric Black
Long lever type
Steel grip
A.B.S system

A:77mm B:112mm C:80mm D:320mm



2" A.B.S Ratchet Buckle
R510701

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Ergonomic wide plastic grip
A.B.S system

A:52mm B:98mm C:67mm D:252mm



2" Extendable A.B.S Ratchet Buckle
R510602

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Aluminum grip
A.B.S system



A:52mm B:98mm C:67mm D:274/332mm



2" Extendable Ratchet Buckle
R510601

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Steel grip

A:54mm B:98mm C:56mm D:242/300mm



RATCHET BUCKLE A.B.S & Extendable Series

Ideal for commercial use.
Heavy duty load securing preferred.
Made for diagonal lashing.
Powerful working ability.
Telescopic handle for better pre-tension.
Built-in safety device for slow down the release during off-load.
Ergonomic wide plastic grip for ease of operation.
Taiwan Excellence rewarded.



**3" A.B.S Ratchet Buckle
R760703**

Size: 3"/75mm
B.S: 10000kg
Finish: Yellow Zinc & Electric Black
Long lever type
Steel grip
A.B.S system

A:77mm B:112mm C:80mm D:320mm



**2" A.B.S Ratchet Buckle
R510701**

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Long lever type
Ergonomic wide plastic grip
A.B.S system

A:52mm B:98mm C:67mm D:252mm



**2" Extendable A.B.S Ratchet Buckle
R510602**

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Aluminum grip
A.B.S system



A:52mm B:98mm C:67mm D:274/332mm



**2" Extendable Ratchet Buckle
R510601**

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Steel grip

A:54mm B:98mm C:56mm D:242/300mm



Ratchet Buckle



1.5" Light Duty Ratchet Buckle

R380301

Size: 1.5"/35mm
B.S: 1800kg
Finish: Yellow Zinc
Middle handle type
Steel grip

A:42mm B:66mm C:40mm D:133mm



1" Middle Handle Ratchet Buckle

R280301

Size: 1"/25mm
B.S: 1500kg
Finish: Yellow Zinc
Middle handle type
Steel grip

A:31mm B:57mm C:37mm D:131mm



1" Once Forming Frame Ratchet Buckle

R280105

Size: 1"/25mm
B.S: 1500kg
Finish: Yellow Zinc
Handle and side panel once forming type

A:30mm B:59mm C:41mm D:118mm



1" Light Duty Ratchet Buckle

R240103/ R240104

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc /
Yellow Zinc & Electric Black

A:27mm B:38mm C:41mm D:110mm



3/4" Mini Ratchet Buckle

R180101

Size: 3/4"/19mm
B.S: 300kg
Finish: Zinc & Electric Black

A:20mm B:29mm C:30mm D:92mm





1/2" Mini Ratchet Buckle

R130101

Size: 1/2"/13mm
B.S: 100kg
Finish: Zinc & Electric Black

A:15mm B:24mm C:30mm D:83mm



RATCHET BUCKLE

Ratchet Tie Down Series



2" Detachable Ratchet Tie Down T518901

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Removable Handle
Ergonomic wide plastic grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" A.B.S Ratchet Tie Down T510701

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Built-in A.B.S system
Ergonomic wide plastic grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Extendable Handle Ratchet Tie Down T510601

Size: 2"/50mm
B.S: 5000kg
Finish: Zinc & Electric Black
Extendable handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Standard Long Handle Ratchet Tie Down T510402

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Long handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Standard Long Handle Ratchet Tie Down T510403

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Long handle type
Plastic grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Middle Handle Ratchet Tie Down T510302

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Middle handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Straight Handle Ratchet Tie Down T510201

Size: 2"/50mm
B.S: 5000kg
Finish: Yellow Zinc
Straight handle type
Aluminum grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends



2" Light Duty Ratchet Tie Down T510303

Size: 2"/50mm
B.S: 2000kg
Finish: Yellow Zinc
Short handle type
Steel grip
Includes of 8M weather-resistant
Polyester webbing
Double J hook ends

Ratchet Buckle



1.5" Long Handle Ratchet Tie Down T430301

Size: 1.5"/35mm
B.S: 3000kg
Finish: Yellow Zinc
Long handle type
Aluminum grip
Includes of 4.5M weather-resistant
Polyester webbing
Double J hook ends



1.5" Straight Handle Ratchet Tie Down T430203

Size: 1.5"/35mm
B.S: 3000kg
Finish: Yellow Zinc
Straight Handle
Aluminum grip
Includes of 4.5M weather-resistant
Polyester webbing
Double J hook ends



1.5" Light Duty Ratchet Tie Down T380303

Size: 1.5"/35mm
B.S: 1800kg
Finish: Yellow Zinc
Middle handle
Steel grip
Includes of 4.5M weather-resistant
Polyester webbing
Double J hook ends



1" Middle Handle Ratchet Tie Down T280305

Size: 1"/25mm
B.S: 1500kg
Finish: Yellow Zinc
Middle handle type
Steel grip
Includes of 4M weather-resistant
Polyester webbing
Double J hook ends



1" Light Duty Ratchet Tie Down T240101

Size: 1"/25mm
B.S: 800kg
Finish: Yellow Zinc
Includes of 4M weather-resistant
Polyester webbing
Double J hook ends



3/4" Mini Ratchet Tie Down T180109

Size: 3/4"/19mm
B.S: 300kg
Finish: Zinc & Electric Black
Includes of 2M weather-resistant
Polyester webbing
PVC coating S hook ends



1/2" Mini Ratchet Tie Down T130105


Size: 1/2"/13mm
B.S: 100kg
Finish: Zinc & Electric Black
Includes of 2M weather-resistant
Polyester webbing
PVC coating S hook ends

Snap Hook & Carabiner Certificated Carabiner


Snap Hook & Carabiner Aluminum Carabiner




**C Carabiner
CBR-S-001**
Alloy Steel
Screw Lock
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




**D1 Carabiner
CBRAD1-F-002**
Forged Alloy Steel
Twist Steel Lock
Snag-Free Design
Min. Breaking Strength:
40kN/8900lbs
ANSI Certificated




**D Carabiner
C2102 series**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




**D Carabiner
C2101 series**
Forged Aluminum Alloy
Screw Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




**D Carabiner
CBRAD-ALF-002**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




**D1 Carabiner
CBRAD1-ALF-001**
Forged Aluminum Alloy
Twist Lock
Snag-Free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




**D1 Carabiner
C3102 series**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




**D1 Carabiner
C3101 series**
Forged Aluminum Alloy
Screw Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




**D1 Carabiner
CBRAD1-ALF-004**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




**Twist Locking Snap Hook
RBH-AL-M-001**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs
EN362 Certificated




**D1 Carabiner
C3102 series**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




**WAIST Carabiner
C4102 series**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
23kN/5000lbs




**Self Locking Snap Hook
RBH-M-AL-003**
Forged Aluminum Alloy
Anodized
Min. Breaking Strength:
35kN/7500lbs
EN362 Certificated



**Quick Connector
C2103 series**
Aluminum Alloy
Quick Lock
Snag-free Design
Anodized
Min. Breaking Strength:
9kN/2000lbs



**Carabiner
C2102 series**
Aluminum Alloy
With/Without Captive Pin
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength:
9kN/2000lbs




Snap Hook & Carabiner Steel Carabiner


Snap Hook & Carabiner




WAIST Carabiner
C4301 series
Stainless Steel(SUS 304)
Screw Lock
Min. Breaking Strength:
10kN/2500lbs




WAIST Carabiner
C4203 series
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs





C Carabiner
C1203 series
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs




C Carabiner
C1303 series
Stainless Steel(SUS 304)
One-way Lock
Min. Breaking Strength:
10kN/2500lbs




D Carabiner
C2203 series
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs




D Carabiner
C2303 series
Stainless Steel(SUS 304)
One-way Lock
Min. Breaking Strength:
10kN/2500lbs




D Carabiner
C2202 series
Forged Alloy Steel
Twist Lock
Min. Breaking Strength:
23kN/5000lbs




D1 Carabiner
C3203 series
Alloy Steel
One-way Lock
Min. Breaking Strength:
23kN/5000lbs



D1 Carabiner
C3202 series
Alloy Steel
Twist Lock
Min. Breaking Strength:
23kN/5000lbs




WAIST Carabiner
C4201 series
Alloy Steel
Screw Lock
Min. Breaking Strength:
23kN/5000lbs




DESIGN CONCEPT

SHAPE



OVAL
C Carabiner /
Design for lower loads.



Regular D
D Carabiner / Designed to
orient the load in a
predetermined direction on
the connector's body.



Asymmetrical D
V or D1 Carabiner / V Shape is
offset or curved to one side allows
a climber to use the Munter Hitch
for belaying without the rope
getting stuck or jammed.




WAIST
Waist Carabiner is to design to
secure rope at bottom. To make
sure the loading force is in same
horizontal.




SPECIAL
Captive Eye Carabiner / Connectors
with complex shapes for a
particular purpose; to be connected
directly to a special anchor type.


GATE



SCREW-LOCK




ONE-WAY LOCK




TWIST-LOCK

NOSE




Snag Free



Regular

CAPTIVE PIN




Snap Hook & Carabiner Snap Hook


Snap Hook & Carabiner Swivel Connector




**Self Locking Rebar Hook
A0102 series**
Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Aluminum Rebar Hook
A0101 series**
Forged Aluminum Alloy
Min. Breaking Strength:
23kN/5000lbs




**Swivel Connector - Large
I0201 series**
Forged Alloy Steel
Yellow Zinc Plated / Chrome Plated
Min. Breaking Strength: 40kN/8900lbs




**Swivel Connector - Medium
I0202 series**
Forged Alloy Steel
Yellow Zinc Plated / Chrome Plated
Min. Breaking Strength: 23kN/5000lbs




**Self Locking Rebar Hook
A0102 series**
Forged Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Self Locking Snap Hook
A0202 series**
Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Aluminum Swivel Connector
I0102 series**
Forged Aluminum Alloy
Anodized
Min. Breaking Strength: 9kN/2000lbs




**Swivel Combination
I0202 series**
Alloy Steel
Chrome Plated
Min. Breaking Strength: 23kN/5000lbs




**Self Locking Snap Hook
A0302 series**
Alloy Steel
Min. Breaking Strength:
23kN/5000lbs




**Screw Locking Snap Hook
C5101 series**
Forged Aluminum Alloy
Screw Lock
Snag-free Design
Anodized Titanium
Min. Breaking Strength:
23kN/5000lbs



**Swivel Connector
I0201 series**
Forged Aluminum Alloy
Twist Lock
Snag-free Design
Anodized
Min. Breaking Strength: 9kN/2000lbs



**Pulley
I0201 series**
Aluminum Alloy
Anodized
Webbing width : 12mm
Min. Breaking Strength: 600kg/1300lbs




Stamping Parts

Made by Precision Punching Machines

Stamping Parts




Flat Hook-01
F01 series



Material: Steel
Size: 1"(25mm)/2"(46mm)




Flat Hook-02
F01 series



Material: Steel
Size: 1.5"(38mm)/2"(51mm)




Buckle-04
F44 series



Material: Steel
Size: 42mm/45mm




Buckle-05
F44 series



Material: Steel
Size: 49mm




Flat/Twist Snap Hook
F04 series



Material: Steel
Size: 1"(25mm)/ 1.5"(38mm)/ 2"(51mm)




Flat Snap Hook
F02 series



Material: Steel
Size: 1"(25mm)/ 1.5"(38mm)/ 2"(51mm)




Harness Safety Buckle
K0602 series



Min. Breaking Strength: 12kN/2500lbs
Alloy Steel
Safety Locking System
Webbing: 1 3/4" (45mm)




2" End Fitting
F010301



B.S: 1500kg
Finish: Yellow Zinc Plated




Delta Flat Hook
F44 series



Material: Steel/ SUS304
Size: 2"(51mm)




Buckle-01
F44 series



Material: Steel
Size: 45mm/54mm




Buckle-02
F44 series



Material: Steel
Size: 45mm/47mm/49mm/52mm



Buckle-03
F44 series



Material: Steel
Size: 38mm/45mm/50mm/54mm


Cam Buckle

Best partner to use with webbing : Cam buckle tie down

WIRE FORMING PARTS S Hook



1" Steel Cam Buckle
K010104~08
Size: 1"/25mm
B.S: 500kg
Finish: Electric black plated
Optional Color Button
Scratch proof pad




S Hook
S01 Series

Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ PE Coating/ Polished
Size: 25mm/ 27mm/ 30mm




S Hook
S06 Series



Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished/
PE Coating
Size: 12mm/ 14mm/ 18mm/ 23mm/ 34.5mm




S Hook
S03 Series



Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished/
PE Coating
Size: 8mm/ 10mm/ 16mm/ 18mm/ 22mm/
23mm/ 25mm



S Hook with Spring
S01 Series



Material: Steel
Plated/ Electric Black/ PE Coating
Size: 25mm/ 27mm/ 31mm

WIRE FORMING PARTS

Ring


Practised molding team & precision punching machine
Your best partner for OEM/ODM project

WIRE FORMING PARTS

Buckle




D Ring
D01 Series



Material: Steel / Stainless Steel
Size: 25mm/38mm/40mm/51mm




D Ring with tube
D01 Series



Material: Steel / Stainless Steel
Size: 25mm/38mm/40mm/51mm




Wire Buckle
K05 Series



Material: Steel
Size: 13mm/16mm/19mm/27mm/
35mm




Lap Link
K02 Series



Material: Steel
Size: 19mm/25mm/31mm/38mm/
41mm/63mm




Waisted Ring
H08 Series



Material: Steel / Stainless Steel
Size: 1. $\phi 6.3 \times 28(A) \times 61\text{mm}$
2. $\phi 6.35 \times 29(A) \times 58.5\text{mm}$




O Ring
O01 Series



Material: Steel / Stainless Steel
Size: 15mm/20mm/25mm/30mm/
38mm/40mm/51mm/65mm/76mm




Eye Buckle/One Way Buckle
K04 Series



Material: Steel
Size: 45mm/55mm



Rave Hook
K04 Series



Material: Steel
Size: 1. $\phi 9.5 \times 51(A) \times 42\text{mm}$
2. $\phi 12 \times 51(A) \times 60\text{mm}$




Triangle Ring
D05 Series



Material: Steel / Stainless Steel
Size: 26mm/53mm/70mm




Oval Ring
O07 Series



Material: Steel / Stainless Steel
Size: 28mm/51mm/55mm/60mm/
107mm




Adjuster Buckle
K03 Series



Material: SUS 304
Size: 25mm/40mm




Buckle with Anti-slip Adjuster
K03 Series



Material: Steel/SUS 304
Size: 25mm/41mm/51mm




Rectangle Ring
D12 Series



Material: Steel / Stainless Steel
Size: 13mm/19mm/25mm/38mm/
51mm/70mm



Buckle with Dual Anti-slip Adjuster
K03 Series



Material: SUS 304
Size: 31mm/41mm/51mm


WIRE FORMING PARTS Hook

Bungee Hook-01
H03 Series




Material: Steel/SUS304
Size: 6.35xø1.8mmx51(L)mm
7.93xø2.8mmx71(L)mm
9.52xø3.0mmx66(L)mm

Single Stud Fitting
J16 Series




Material: Steel/SUS304
Size: ø6.0mmx60(L)mm
ø9.5mmx94(L)mm

Wire Hook 6mm / 8mm
With Eyelet / Without Eyelet
H08 Series




Material: Steel/SUS304
Size: ø6mmxL62mm / ø8mmxL80mm

Spring Hook
S02 Series




Material: Steel

Bungee Hook-02
H03 Series




Material: Steel/SUS304

Wire Hook
With Eyelet / Without Eyelet
H08 Series




Material: Steel/SUS304
Size: ø6mmxL62mm
ø8mmxL80mm

Spring Hook
With Eyelet / Without Eyelet
S02 Series




Material: Steel

Snap Hook
S11 Series




Material: Steel/ SUS304

Quick Link
H07 Series



Material: Steel/SUS304
Size: ø3.5x36.5(L)mm ø8x76(L)mm
ø4x40(L)mm ø9x82(L)mm
ø5x48(L)mm ø10x90(L)mm
ø6x58(L)mm ø12x107(L)mm
ø7x65(L)mm ø14x125(L)mm


Wire Hook
With Eyelet / Without Eyelet
K08 Series



Material: Aluminum Alloy

Snap Hook with Eyelet/Without Eyelet

H08 Series




Material: Steel/SUS304
Size: ø4x40(L)mm ø10x100(L)mm
ø5x50(L)mm ø11x120(L)mm
ø6x60(L)mm ø12x140(L)mm
ø7x70(L)mm ø13x160(L)mm
ø8x80(L)mm ø14x180(L)mm
ø9x90(L)mm

WIRE FORMING PARTS

J Hook




Hook and Keeper
J07 Series



Material: Steel
Plated/ Electric Black
Size: 38mm/ 51mm



Finger Profile Hook
J06 Series




Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished
Size: 25mm



Double J hook


J01 Series

Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ PVC Coating/ Polished
Size: 15mm/ 25mm/ 27mm/ 38mm/ 51mm/ 76mm



Welding Tube Single Hook

J04 Series




Material: Steel
Plated/ Electric Black
Size: 25mm/ 38mm/ 51mm



Welding Tube Profile Hook

J09 Series




Material: Steel
Plated/ Electric Black
Size: 51mm/ 55mm



Eye Hook

J11 Series




Material: Steel
Plated/ Electric Black
Size: 38mm/ 51mm



J Hook

J04 Series



Material: Steel/ SUS304/ SUS316
Plated/ Electric Black/ Polished
Size: 38mm/ 47.5mm/ 51mm



OEM Products


Customization available
Taiwan-made good quality

Fitting/ Forging

Good partners for transportation




Bolt/ Stud



Material: Steel
Zinc Plated




Bolt/ Eyelet Screw



Material: Steel / SUS304
Zinc Plated / Polished




**Double Stud Fitting
M071137**



B.S: 2300kg
Finish: Zinc Plated




**Double Stud Fitting with O ring
M071138**



B.S: 2300kg
Finish: Zinc Plated




Bolt/ Eyelet Stud



Material: Steel
Zinc Plated




Bolt/ Eyelet Stud



Material: Steel
Zinc Plated




**Single Stud Fitting
M071105**



B.S: 1500kg
Finish: Body - Anodized
Ring - Zinc Plated




**Forged Eyelet Stud
B01 Series**



Material: Steel
Zinc/ Yellow Zinc Plated




Bolt/ Stud Hook



Material: Steel
Zinc Plated




Lock Pin



Material: Steel
Zinc Plated




**Swivel Clip Hook
I0201 Series**



Material: Aluminum Alloy




**Forged Snap Hook
E Series**



Material: Steel
Zinc/ Yellow Zinc Plated




Stud Hook With Spring



Material: Steel
Zinc Plated



Bolt/ Eyelet Stud



Material: Steel
Zinc Plated



 利 菴 有 限 公 司
Bright Creation Ltd. Taiwan

BRIGHT CREATION LTD.
利菴有限公司

- **Add:**
2F. No.9, Lane 123, Shin-sheng
N. Rd.,Sec. 2, Taipei, 104, Taiwan
- **Tel:** 886-2-2571-7900
- **E-mail:** brightcr@ms7.hinet.net
villa@bright.com.tw



Website QR code

